



US00D422882S

United States Patent [19] Andrews

[11] **Patent Number: Des. 422,882**

[45] **Date of Patent: ** Apr. 18, 2000**

- [54] **CORE FOR A CYLINDER LOCK**
- [75] Inventor: **Jerome V. Andrews**, Southington, Conn.
- [73] Assignee: **Kaba High Security Locks, Inc.**, Southington, Conn.
- [**] Term: **14 Years**
- [21] Appl. No.: **29/089,568**
- [22] Filed: **Jun. 18, 1998**
- [51] **LOC (6) Cl.** **08-07**
- [52] **U.S. Cl.** **D8/343**
- [58] **Field of Search** D8/330, 331, 343; 70/357, 360, 367, 369, 359, 373, 490, 374

- 5,325,690 7/1994 Adler et al. 70/373 X
- 5,431,034 7/1995 Fann et al. 70/369
- 5,813,260 9/1998 Widen 70/369

Primary Examiner—Susan J. Lucas
Assistant Examiner—Jennifer Rivard
Attorney, Agent, or Firm—Alix, Yale & Ristas, LLP

[57] CLAIM

The ornamental design for a core for a cylinder lock, as shown and described.

DESCRIPTION

FIG. 1 is rear view of a core for a cylinder lock showing my new design;

FIG. 2 is a top view thereof;

FIG. 3 is a side view thereof, the cylinder lock core appearing the same when viewed from the opposite side; and,

FIG. 4 is a bottom view thereof.

The appearance of my new design as seen from the front forms no part of the claimed design.


The broken lines are shown for illustrative purposes only and for no part of the claimed design.

[56] References Cited

U.S. PATENT DOCUMENTS

- | | | | |
|------------|---------|----------------|--------|
| Re. 31,910 | 6/1985 | Oliver | 70/369 |
| D. 334,841 | 4/1993 | Schmitt, Sr. | D8/343 |
| 3,298,211 | 1/1967 | Russell et al. | 70/369 |
| 4,732,023 | 3/1988 | Shen | 70/383 |
| 5,161,397 | 11/1992 | Raybary | 70/374 |
| 5,176,015 | 1/1993 | Sussina | 70/369 |

1 Claim, 1 Drawing Sheet






FIG. 4




FIG. 1




FIG. 2




FIG. 3