



US00D423209S

**United States Patent** [19]  
**Guyot**

[11] **Patent Number: Des. 423,209**

[45] **Date of Patent: \*\* Apr. 25, 2000**

[54] **KEY HOLDER**

[76] Inventor: **Joshua Guyot**, 6821 Thomas Blvd.,  
Apt. No. 3, Pittsburgh, Pa. 15208

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/105,158**

[22] Filed: **May 19, 1999**

[51] **LOC (6) Cl.** ..... **03-01**

[52] **U.S. Cl.** ..... **D3/207**

[58] **Field of Search** ..... D3/207-211; 70/456 R,  
70/459

2,982,454	5/1961	Wolberg	.....	224/5
3,832,874	9/1974	Willis	.....	70/456
4,253,321	3/1981	Sorensen	.....	70/456
4,656,853	4/1987	Mancini	.....	70/456
5,551,269	9/1996	Lewinstein et al.	.....	70/459

*Primary Examiner*—Ralf Seifert  
*Attorney, Agent, or Firm*—Buchanan Ingersoll, P.C.

[57] **CLAIM**

The ornamental design for a key holder, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of my design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom plan view thereof.  
It being understood that the broken lines in FIG. 1 are for illustrative purposes only.


**1 Claim, 3 Drawing Sheets**

[56] **References Cited**


**U.S. PATENT DOCUMENTS**

D. 97,570	11/1935	Trollen	.....	D3/210
D. 123,841	12/1940	Owens	.....	D3/212
D. 278,950	5/1985	Vaughan	.....	D5/208
2,003,553	6/1935	Root	.....	150/40
2,486,180	10/1949	Lane et al.	.....	D3/208
2,627,743	2/1953	Ribbing	.....	D3/212
2,790,319	4/1957	Brunner	.....	70/456
2,863,312	12/1958	Groulx	.....	70/456







**FIG. 1**




**FIG. 3**




**FIG. 6**




**FIG. 7**



**FIG. 2**



**FIG. 4**



**FIG. 5**