



US00D423527S

**United States Patent** [19]  
**Sakamaki**

[11] **Patent Number: Des. 423,527**

[45] **Date of Patent: \*\* Apr. 25, 2000**

[54] **DRILL CHUCK**

[75] Inventor: **Akira Sakamaki**, Ojiya, Japan

[73] Assignee: **Yukiwa Seiko Kabushiki Kaisha**,  
Niigata-Ken, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/108,063**

[22] Filed: **Jul. 21, 1999**

[30] **Foreign Application Priority Data**

Jul. 13, 1999 [JP] Japan ..... 11-18749

[51] **LOC (6) Cl.** ..... **15-09**

[52] **U.S. Cl.** ..... **D15/140; D8/70**

[58] **Field of Search** ..... **D15/140; D8/70;**  
**279/60-64, 157, 901, 902**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 366,052 1/1996 Barton et al. .... D15/140

D. 402,675 12/1998 Long ..... D15/140  
D. 416,461 11/1999 Long ..... D8/70  
5,765,839 6/1998 Rohm ..... 279/62  
5,816,583 10/1998 Middleton ..... 279/62

*Primary Examiner*—Antoine Duval Davis  
*Attorney, Agent, or Firm*—Sughrue, Mion, Zinn Macpeak &  
Seas, PLLC

[57] **CLAIM**

The ornamental design for a drill chuck, as shown and described.

**DESCRIPTION**

FIG. 1 is an elevational view showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a rear view thereof;  
FIG. 5 is a right side view thereof, the left side view being symmetrical to the right side view;  
FIG. 6 is a perspective view thereof; and,  
FIG. 7 is a perspective view thereof.

**1 Claim, 2 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7

