



US00D423544S

United States Patent [19]

Yamamoto et al.

[11] Patent Number: Des. 423,544

[45] Date of Patent: ** Apr. 25, 2000

[54] CAMERA

[75] Inventors: **Kazuo Yamamoto**, Tama; **Gwenael Nicolas**, Tokyo, both of Japan

[73] Assignee: **Olympus Optical Co., Ltd.**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/108,974**

[22] Filed: **Aug. 6, 1999**

[30] Foreign Application Priority Data

Feb. 10, 1999 [JP] Japan 11-2845

[51] LOC (6) Cl. **16-01**

[52] U.S. Cl. **D16/218; D16/202**

[58] Field of Search D16/200-206,
D16/208, 209, 217, 218; 348/373-376;
358/906, 909.1; 396/535-541

[56] References Cited

U.S. PATENT DOCUMENTS

D. 392,659 3/1998 Takano D16/202
D. 407,098 3/1999 Goto et al. D16/218

D. 409,640 5/1999 Funato D16/218
D. 410,665 6/1999 Shinano D16/202
4,530,014 7/1985 D'Alayer De Costemore D'Arc .. 358/
909.1

Primary Examiner—Adir Aronovich
Attorney, Agent, or Firm—Loeb & Loeb, LLP



[57] CLAIM

The ornamental design for a camera, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a camera, showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a rear elevational view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a reference front elevational view thereof with a barrier in a closed state; and,
FIG. 9 is a reference right side elevational view thereof with a barrier in a closed state.

1 Claim, 3 Drawing Sheets






FIG.1




FIG.2




FIG.3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9