

US00D423974S

United States Patent [19] Bell

[11] **Patent Number: Des. 423,974**
[45] **Date of Patent: ** May 2, 2000**

[54] SAFETY REFLECTOR

[75] Inventor: **Steven Bell**, 5523 Miles Ct.,
Springfield, Va. 22151

[73] Assignee: **Steven Bell**, Springfield, Va.

[**] Term: **14 Years**

[21] Appl. No.: **29/056,158**

[22] Filed: **Jan. 13, 1995**

Related U.S. Application Data

[63] Continuation-in-part of application No. 08/099,687, Jul. 29, 1993, abandoned.

[51] **LOC (7) Cl.** **10-05**

[52] **U.S. Cl.** **D10/111**

[58] **Field of Search** D10/109, 111,
D10/114, 115; 359/125, 126, 127-159

[56] References Cited

U.S. PATENT DOCUMENTS

D. 234,128	1/1975	Kiniry	D10/111
D. 235,977	7/1975	Golden	D10/111
D. 237,156	10/1975	McEwin	D10/111
D. 241,923	10/1976	Zevy	D10/111
D. 241,924	10/1976	Zevy	D10/111
D. 244,363	5/1977	Tsuyama	D10/111
D. 309,869	8/1990	Dunmore	D10/111

Primary Examiner—Marcus A. Jackson

Attorney, Agent, or Firm—Rader, Fishman & Grauer PLLC

[57] CLAIM

I claim the ornamental design for safety reflector, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a first embodiment of the safety reflector of the present invention.

FIG. 2 is a left side elevational view of the safety reflector of FIG. 1, the right side elevational view of FIG. 1 being a mirror image of the view of FIG. 2.

FIG. 3 is a rear elevational view of the safety reflector of FIG. 1.

FIG. 4 is a cross sectional view taken substantially through lines 4—4 of FIG. 3.

FIG. 5 is a rear elevational view of a second embodiment of the safety reflector of the present invention, the front elevational view thereof being identical to the view shown in FIG. 1.

FIG. 6 is a right side elevational view of the embodiment of FIG. 5, the left side elevational view of FIG. 5 being a mirror image of the view of FIG. 6.



FIG. 7 is a rear elevational view of a third embodiment of the safety reflector of the present invention, the front elevational view thereof being identical to the view of FIG. 1.

FIG. 8 is a right side elevational view of the embodiment of FIG. 7, the left side elevational view of the embodiment of FIG. 7 being a mirror image of the view of FIG. 8.

FIG. 9 is a rear elevational view of a fourth embodiment of the safety reflector of the present invention, the front elevational view thereof being identical to the view of FIG. 1; and,

FIG. 10 is a right side elevational view of the embodiment of FIG. 9, the left side elevational view of the embodiment of FIG. 9 being a mirror image of the view of FIG. 10.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6




FIG. 7



FIG. 8




FIG. 9



FIG. 10