



US00D423999S

United States Patent [19]
Fink

[11] **Patent Number: Des. 423,999**

[45] **Date of Patent: ** May 2, 2000**

[54] **VEHICLE BUMPER CONFIGURATION**

[75] Inventor: **Michael L. Fink**, Steinegg-Neuhausen, Germany

[73] Assignee: **DaimlerChrysler AG**, Germany

[**] Term: **14 Years**

[21] Appl. No.: **29/108,676**

[22] Filed: **Aug. 3, 1999**

[30] **Foreign Application Priority Data**

Feb. 3, 1999 [DE] Germany 49901061

[51] **LOC (7) Cl.** **12-16**

[52] **U.S. Cl.** **D12/169**

[58] **Field of Search** D12/169, 196,
D12/90-92; 293/102, 113, 115, 120; 296/180.1,
180.2

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 312,434 11/1990 Yamamoto D12/169
- D. 312,607 12/1990 Yamamoto D12/169
- D. 324,017 2/1992 Malmgren et al. D12/169
- D. 327,242 6/1992 Falek et al. D12/169

- D. 374,201 10/1996 Nagashima D12/169
- D. 393,440 4/1998 Pfeiffer et al. D12/169

Primary Examiner—Melody N. Brown
Attorney, Agent, or Firm—Evenson, McKeown, Edwards & Lenahan, P.L.L.C.


[57] **CLAIM**

The ornamental design for a vehicle bumper configuration, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a vehicle bumper configuration according to my novel design;
FIG. 2 is a front view of the vehicle bumper configuration according to my novel design;
FIG. 3 is a left view of the vehicle bumper configuration according to my novel design;
FIG. 4 is a right view of the vehicle bumper configuration according to my novel design;
FIG. 5 is a top view of the vehicle bumper configuration according to my novel design; and,
FIG. 6 is a bottom view of the vehicle bumper configuration according to my novel design.
The broken lines shown depict environment and are not part of my claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6