



US00D424014S

United States Patent [19]
Sage

[11] **Patent Number: Des. 424,014**

[45] **Date of Patent: ** May 2, 2000**

[54] **SINGLE UNIT BATTERY CHARGER FOR MULTIPLE BATTERIES**

[76] Inventor: **George E. Sage**, 22002 Redmond-Fall City Rd., Redmond, Wash. 98053

[**] Term: **14 Years**

[21] Appl. No.: **29/104,090**

[22] Filed: **Apr. 26, 1999**

[51] **LOC (7) Cl.** **13-02**

[52] **U.S. Cl.** **D13/107**

[58] **Field of Search** D13/107, 108,
D13/118; 320/107-115

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 122,945	10/1940	Quirk	D13/107
D. 288,432	2/1987	Nagele	D13/107
3,912,998	10/1975	Harris	320/107 X
5,274,319	12/1993	Keener et al.	320/106

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Roy E. Mattern, Jr.


[57] **CLAIM**

The ornamental design for a single unit battery charger for multiple batteries, as shown and described.

DESCRIPTION

FIG. 1 is a right side, top and back perspective of a single unit battery charger for multiple batteries showing my design, the broken lines showing a battery are included for the purposes of illustrating environmental structure and form no part of the claimed design;
FIG. 2 is a top view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a front view thereof; and,
FIG. 7 is a back view thereof.

1 Claim, 2 Drawing Sheets






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7