



US00D424109S

United States Patent [19]

[11] Patent Number: **Des. 424,109**

Edgerley et al.

[45] Date of Patent: **** May 2, 2000**

[54] PEN

[75] Inventors: **David Anthony Edgerley**, London, United Kingdom; **Gary Lu**, Granada Hills, Calif.; **Jonathan Nguyen**, Sharon, Mass.; **Ming Kin Leung**, London, United Kingdom

[73] Assignee: **The Gillette Company**, Boston, Mass.

[*] Notice: This patent is subject to a terminal disclaimer.

[**] Term: **14 Years**

[21] Appl. No.: **29/044,201**

[22] Filed: **Oct. 6, 1995**

Related U.S. Application Data

[63] Continuation-in-part of application No. 29/038,246, May 1, 1995, abandoned.

[51] **LOC (7) Cl.** **19-06**

[52] **U.S. Cl.** **D19/43; D19/51; D19/57**

[58] **Field of Search** D19/35, 36, 41-51, D19/53-58, 81-85; 401/99, 209, 202, 243-247, 262, 88, 6, 7

[56] References Cited

U.S. PATENT DOCUMENTS

D. 188,972	10/1960	Young .	
D. 212,865	12/1968	Bowman et al.	D19/51
D. 218,491	8/1970	Bovin et al.	D19/49
D. 223,688	5/1972	Schnur et al.	D19/49
D. 256,925	9/1980	Postrehovsky-Axel	D19/47
D. 279,993	8/1985	Oka	D19/45
D. 287,028	12/1986	Thevenot	D19/51
D. 304,601	11/1989	Alskog	D19/49
D. 322,811	12/1991	Isern	D19/36
D. 327,704	7/1992	Yuen	D19/36
D. 332,627	1/1993	Anavil et al.	D19/49
D. 339,822	9/1993	Mock et al.	D19/48
D. 342,279	12/1993	Anavil et al.	D19/49
D. 349,297	8/1994	Shimizu	D19/57
D. 351,417	10/1994	Oka	D19/57
D. 366,497	1/1996	Otake	D19/51

D. 389,863	1/1998	Nguyen	D19/48
655,423	8/1900	Upton .	
3,729,269	4/1973	Koeln	401/209
4,030,841	6/1977	Balasty	401/6
4,302,121	11/1981	Kim	401/209
4,508,464	4/1985	Money	401/6
4,568,213	2/1986	Money	401/6
4,669,906	6/1987	Narushima	401/209
4,844,642	7/1989	Inaba et al.	401/213
5,441,356	8/1995	Cho	401/347

FOREIGN PATENT DOCUMENTS

2 218 381A	11/1989	United Kingdom .
2 223 607	1/1991	United Kingdom .

Primary Examiner—Martie K. Holtje
Attorney, Agent, or Firm—David A. Howley

[57] CLAIM

The ornamental design for a pen, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view of a pen having a cap thereon showing our new design;

FIG. 2 is a front elevational view of the pen having the cap separated therefrom;

FIG. 3 is a left side elevational view of the pen having the cap separated therefrom;

FIG. 4 is a right side elevational view of the pen having the cap separated therefrom;

FIG. 5 is a rear elevational view of the pen having the cap separated therefrom;

FIG. 6 is a top plan view of the pen having the cap separated therefrom (shown separately for clarity of illustration);

FIG. 7 is a bottom plan view of the pen having the cap separated therefrom (shown separately for clarity of illustration);


FIG. 8 is a top plan view of the pen with the cap attached thereto;

FIG. 9 is a bottom plan view of the pen with the cap attached thereto;

FIG. 10 is a bottom plan view of the cap (shown separately for clarity of illustration); and,

FIG. 11 is a front isometric view of the pen and the cap, the cap and pen separated from each other.

1 Claim, 4 Drawing Sheets






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5

