



US00D424151S

United States Patent [19]
Miura

[11] **Patent Number: Des. 424,151**
[45] **Date of Patent: ** May 2, 2000**

[54] **COMBINED PUTTING PRACTICE DEVICE AND DIVOT REPAIR TOOL**

5,759,120 6/1998 Mathis et al. 473/408

[75] Inventor: **Masami Miura**, Tokyo, Japan

Primary Examiner—Mitchell Siegel
Attorney, Agent, or Firm—Oblon, Spivak, McClelland, Maier & Neustadt, P.C.

[73] Assignee: **San-ai Corporation**, Tokyo, Japan

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/099,175**

The ornamental design for a combined putting practice device and divot repair tool, as shown and described.

[22] Filed: **Jan. 15, 1999**

DESCRIPTION

[30] **Foreign Application Priority Data**

Jul. 17, 1998 [JP] Japan 10-20826

[51] **LOC (7) Cl.** **21-01**

[52] **U.S. Cl.** **D21/793**

[58] **Field of Search** D21/789, 793;
473/286, 408

FIG. 1 is a front elevational view of a combined putting practice device and divot repair tool, showing our new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a top plan view thereof with the fork plates shown in an alternate position; and,

FIG. 8 is a top perspective view of FIG. 7.

The broken line showing of a golf ball is for illustrative purposes only and forms no part of the claimed design.

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 399,597 10/1998 Craven D21/789
- D. 401,379 11/1998 Goldoftas D21/793
- 3,763,515 10/1973 Voss 473/408

1 Claim, 2 Drawing Sheets




FIG. 3




FIG. 1




FIG. 6




FIG. 4




FIG. 2





FIG. 5






FIG. 7




FIG. 8