



US00D424361S

United States Patent [19] Kuboyama

[11] Patent Number: **Des. 424,361**

[45] Date of Patent: **** May 9, 2000**

[54] **EXTRACTION APPARATUS**

D. 386,038	11/1997	Delaey	D7/309
D. 390,060	2/1998	Seiffert	D7/309
D. 414,371	9/1999	Seiffert	D7/309

[75] Inventor: **Nobuyoshi Kuboyama**, Carlisle, Mass.

[73] Assignee: **Aoki Corporation**, Acton, Mass.

Primary Examiner—M. N. Pandozzi
Attorney, Agent, or Firm—Niels, Lemack & Dingman

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/101,786**

The ornamental design for an extraction apparatus, as shown and described.

[22] Filed: **Mar. 10, 1999**

[51] **LOC (7) Cl.** **07-01**

DESCRIPTION

[52] **U.S. Cl.** **D7/309; D7/310; D7/311**

The present invention relates to apparatus for extracting an ingredient from a raw material.

[58] **Field of Search** D7/389, 665, 309, D7/310, 311, 312; 99/304, 305, 281, 295, 298 B; 222/169

FIG. 1 is a front view of the extraction apparatus of the present invention;

[56] **References Cited**

FIG. 2 is a rear perspective view of the extraction apparatus of the present invention; and,

U.S. PATENT DOCUMENTS

FIG. 3 is a bottom perspective view of the extraction apparatus of the present invention.

D. 328,217	7/1992	Beeren	D7/309
D. 361,691	8/1995	Maass, Jr.	D7/309
D. 371,037	6/1996	Felip	D7/309

1 Claim, 3 Drawing Sheets




FIGURE 1




FIGURE 2




FIGURE 3

