



US00D424361S

United States Patent [19]
Kuboyama

[11] **Patent Number: Des. 424,361**

[45] **Date of Patent: ** May 9, 2000**

[54] **EXTRACTION APPARATUS**

D. 386,038 11/1997 Delaey D7/309
D. 390,060 2/1998 Seiffert D7/309
D. 414,371 9/1999 Seiffert D7/309

[75] Inventor: **Nobuyoshi Kuboyama**, Carlisle, Mass.

[73] Assignee: **Aoki Corporation**, Acton, Mass.

[**] Term: **14 Years**

Primary Examiner—M. N. Pandozzi
Attorney, Agent, or Firm—Niels, Lemack & Dingman

[21] Appl. No.: **29/101,786**

[22] Filed: **Mar. 10, 1999**

[57] **CLAIM**

The ornamental design for an extraction apparatus, as shown and described.

[51] **LOC (7) Cl.** **07-01**

[52] **U.S. Cl.** **D7/309; D7/310; D7/311**

[58] **Field of Search** D7/389, 665, 309,
D7/310, 311, 312; 99/304, 305, 281, 295,
298 B; 222/169

DESCRIPTION

The present invention relates to apparatus for extracting an ingredient from a raw material.

FIG. 1 is a front view of the extraction apparatus of the present invention;

FIG. 2 is a rear perspective view of the extraction apparatus of the present invention; and,

FIG. 3 is a bottom perspective view of the extraction apparatus of the present invention.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 328,217 7/1992 Beeren D7/309
D. 361,691 8/1995 Maass, Jr. D7/309
D. 371,037 6/1996 Felip D7/309

1 Claim, 3 Drawing Sheets




FIGURE 1




FIGURE 2




FIGURE 3

