



US00D424392S

United States Patent [19]
Mock

[11] **Patent Number: Des. 424,392**

[45] **Date of Patent: ** May 9, 2000**

[54] **SHEAR**

2,875,520 3/1959 Webster 30/254
5,463,814 11/1995 Stowell et al. 30/232

[75] Inventor: **Mel Corrie Mock**, Rocky Ford, Ga.

[73] Assignee: **Cooper Industries**, Houston, Tex.

[**] Term: **14 Years**

Primary Examiner—Alan P. Douglas
Assistant Examiner—Reid Hecker
Attorney, Agent, or Firm—Coats & Bennett, P.L.L.C.

[21] Appl. No.: **29/108,384**

[22] Filed: **Jul. 26, 1999**

[57] **CLAIM**

The ornamental design for a shear, as shown and described.

[51] **LOC (7) Cl.** **08-03**

[52] **U.S. Cl.** **D8/57**

[58] **Field of Search** D8/6, 57, 98, 107;
D24/148; 606/174; 30/120, 145, 194, 201,
229, 230, 232, 257, 254

DESCRIPTION

FIG. 1 is a right side elevation of the shear of the present invention;
FIG. 2 is a front elevation view of the shear;
FIG. 3 is a left side elevation view of the shear;
FIG. 4 is a rear elevation view of the shear;
FIG. 5 is a top view of the shear;
FIG. 6 is a bottom view of the shear; and,
FIG. 7 is right side elevation view of the shear in an open position.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 258,798 4/1981 Ferguson D8/57
D. 394,990 6/1998 Mock D8/5
D. 406,507 3/1999 Mock D8/52

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG.3




FIG.4




FIG. 5




FIG. 6




FIG. 7

