



US00D424416S

# United States Patent [19]

[11] Patent Number: **Des. 424,416**

Gary et al.

[45] Date of Patent: **\*\* May 9, 2000**

[54] **THREADED TREE SUPPORT BOLT WITH ADJUSTABLE KNOB**

[75] Inventors: **Lonnie F. Gary**, Ransom Canyon; **Stephen L. Fillipp**; **Andrew G. Avinger**, both of Lubbock, all of Tex.

[73] Assignee: **Gary Products Group, Inc.**, Lubbock, Tex.

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/106,703**

[22] Filed: **Jun. 17, 1999**

[51] **LOC (7) Cl.** ..... **08-08**

[52] **U.S. Cl.** ..... **D8/387**

[58] **Field of Search** ..... D8/310, 387, DIG. 2, D8/DIG. 3; D11/121, 130, 130.1; 16/414, 417, 433; 47/40.5, 42; D21/488, 498; D25/117; 446/120, 121

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 39,902	3/1909	Marlow	.....	D11/121
D. 316,804	5/1991	Foulke et al.	.....	D8/310
D. 329,622	9/1992	Smith	.....	D11/130.1
D. 351,570	10/1994	Fillipp	.	
D. 418,083	12/1999	Wilson, Jr.	.....	D11/130.1
1,855,762	4/1932	Kaminski	.	
2,933,274	4/1960	Mausolf	.....	47/40.5
4,006,560	2/1977	Schulz	.	
4,541,601	9/1985	Corbisello	.	
4,571,882	2/1986	Capen	.	

4,848,027	7/1989	Skierwiderski	.....	47/42
4,884,363	12/1989	Sofy	.	
4,913,395	4/1990	Juhas	.	
5,000,414	3/1991	Rosato	.....	47/40.5
5,014,461	5/1991	vom Braucke et al.	.	
5,074,514	12/1991	Smith	.....	47/40.5
5,301,462	4/1994	Hronyetz	.	
5,398,444	3/1995	Murray	.	
5,966,864	10/1999	Flink	.....	47/40.5

#### FOREIGN PATENT DOCUMENTS

GM224304 1/1910 Germany .

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Reid Hecker

*Attorney, Agent, or Firm*—Monty L. Ross; Locke Liddell & Sapp LLP

### [57] CLAIM

The ornamental design for a threaded tree support bolt with adjustable knob, as shown and described.

#### DESCRIPTION

FIG. 1 is a top front perspective view of a threaded tree support bolt with adjustable knob, showing our design; FIG. 2 is a front elevation view thereof; FIG. 3 is a left side elevation view thereof; FIG. 4 is a right side elevation view thereof; FIG. 5 is a top front perspective view of a second embodiment of a threaded tree support bolt with adjustable knob; FIG. 6 is a front elevational view thereof; FIG. 7 is a left side elevation view thereof; and, FIG. 8 is a right side elevation view thereof.

**1 Claim, 2 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8

