



US00D424554S

United States Patent [19]

Overton et al.

[11] Patent Number: Des. 424,554

[45] Date of Patent: ** May 9, 2000

[54] **INTEGRATED TRANSCEIVER AND DISH ANTENNA**

[75] Inventors: **Steven R. Overton**, Seattle; **Thomas K. Mehrkens**, Bellevue, both of Wash.

[73] Assignee: **WAVTrace, Inc.**, Bellevue, Wash.

[**] Term: **14 Years**

[21] Appl. No.: **29/101,528**

[22] Filed: **Mar. 5, 1999**

[51] **LOC (7) Cl.** **14-03**

[52] **U.S. Cl.** **D14/137; D14/230; D14/240**

[58] **Field of Search** D14/137, 140, D14/142, 107, 109, 102, 100, 240, 242, 230, 231, 155, 159; 379/419, 420, 428, 440; 455/550-575, 90, 73, 83; D13/184, 110; 361/600, 622, 724-728, 810; 343/772, 720, 702, 905

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|-----------------|-------|---------|
| D. 188,495 | 8/1960 | Gould | | D14/230 |
| D. 287,848 | 1/1987 | Keely et al. | | D13/110 |
| D. 308,203 | 5/1990 | Kosugi et al. | | D14/230 |
| D. 321,883 | 11/1991 | Borchardt | | D14/230 |
| D. 323,826 | 2/1992 | Suzuki et al. | | D14/137 |
| D. 325,902 | 5/1992 | Hudson et al. | | D13/184 |
| D. 333,470 | 2/1993 | Vong | | D14/230 |
| D. 338,653 | 8/1993 | Morgan et al. | | D13/110 |
| D. 345,982 | 4/1994 | Lucey | | D14/230 |
| D. 347,219 | 5/1994 | McGreevy | | D14/137 |
| D. 375,950 | 11/1996 | Jones et al. | | D14/137 |
| D. 378,368 | 3/1997 | MGreevy | | D14/137 |
| D. 395,897 | 7/1998 | Honma et al. | | D14/240 |
| D. 396,210 | 7/1998 | Shiga et al. | | D13/110 |
| D. 409,164 | 5/1999 | Tucker et al. | | D14/102 |
| 5,373,421 | 12/1994 | Detsikas et al. | | 361/810 |
| 5,760,749 | 6/1998 | Minowa et al. | | 343/772 |

Primary Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Fulbright & Jaworski L.L.P.

[57] CLAIM

The ornamental design for an integrated transceiver and dish antenna, as shown and described.

DESCRIPTION

FIG. 1 is an elevation view from the front of our design for an integrated transceiver and dish antenna.

FIG. 2 is an isometric view from the front showing the front, top and right side of our design for an integrated transceiver and dish antenna. The left side of our design for an integrated transceiver and dish antenna is a mirror image of the right side shown.

FIG. 3 is an isometric view from the back showing the back, top and left side of our design for an integrated transceiver and dish antenna.

FIG. 4 is a top plan view of our design for an integrated transceiver and dish antenna.



FIG. 5 is an elevation view from the left showing the left side of our design for an integrated transceiver and dish antenna. The right side of our design for an integrated transceiver and dish antenna is a mirror image of the left side shown.

FIG. 6 is an isometric view from the front showing the front, top and right side of our design for an integrated transceiver and dish antenna.

FIG. 7 is an isometric view from the front showing the front, top and right side of our design for a second embodiment of the integrated transceiver and dish antenna, the only difference over the first embodiment being that the non-claimed features shown in broken lines on the front surface are shown in solid lines, and therefore make up a part of the claim in this embodiment; and,

FIG. 8 is an elevation view from the front showing our design for an integrated transceiver and dish antenna.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8