## **United States Patent** [19]

**Overton et al.** 

#### **INTEGRATED TRANSCEIVER AND DISH** [54] ANTENNA

- Inventors: Steven R. Overton, Seattle; Thomas [75] **K. Mehrkens**, Bellevue, both of Wash.
- Assignee: WAVTrace, Inc., Bellevue, Wash. [73]

14 Years [\*\*] Term:

Appl. No.: 29/101,528 [21]

[56]

Primary Examiner—Jeffrey Asch Attorney, Agent, or Firm—Fulbright & Jaworski L.L.P.

\*\*

US00D424554S

**Patent Number:** 

**Date of Patent:** 

[11]

[45]

Des. 424,554

May 9, 2000

#### [57] CLAIM

The ornamental design for an integrated transceiver and dish antenna, as shown and described.

## DESCRIPTION

FIG. 1 is an elevation view from the front of our design for an integrated transceiver and dish antenna. FIG. 2 is an isometric view from the front showing the front, top and right side of our design for an integrated transceiver and dish antenna. The left side of our design for an integrated transceiver and dish antenna is a mirror image of the right side shown.

Mar. 5, 1999 [22]Filed:

LOC (7) Cl. ..... 14-03 [51] **U.S. Cl.** ...... **D14/137**; D14/230; D14/240 [52] Field of Search ...... D14/137, 140, [58] D14/142, 107, 109, 102, 100, 240, 242, 230, 231, 155, 159; 379/419, 420, 428, 440; 455/550–575, 90, 73, 83; D13/184, 110; 361/600, 622, 724–728, 810; 343/772, 720, 702, 905

## **References Cited**

### **U.S. PATENT DOCUMENTS**

D. 188,495	8/1960	Gould D14/230
D. 287,848	1/1987	Keely et al D13/110
D. 308,203	5/1990	Kosugi et al D14/230
D. 321,883	11/1991	Borchardt D14/230
D. 323,826	2/1992	Suzuki et al D14/137
D. 325,902	5/1992	Hudson et al D13/184
D. 333,470	2/1993	Vong D14/230
D. 338,653		Morgan et al D13/110
D. 345,982	4/1994	Lucey D14/230
D. 347,219	5/1994	McGreevy D14/137
D. 375,950	11/1996	Jones et al D14/137
D. 378,368	3/1997	MGreevy D14/137
D. 395,897	7/1998	Honma et al D14/240
D. 396,210	7/1998	Shiga et al D13/110
D. 409,164	5/1999	Tucker et al D14/102
5,373,421	12/1994	Detsikas et al 361/810
5,760,749	6/1998	Minowa et al 343/772

FIG. 3 is an isometric view from the back showing the back, top and left side of our design for an integrated transceiver and dish antenna.

FIG. 4 is a top plan view of our design for an integrated transceiver and dish antenna.

FIG. 5 is an elevation view from the left showing the left side of our design for an integrated transceiver and dish antenna. The right side of our design for an integrated transceiver and dish antenna is a mirror image of the left side shown.

FIG. 6 is an isometric view from the front showing the front, top and right side of our design for an integrated transceiver and dish antenna.

FIG. 7 is an isometric view from the front showing the front, top and right side of our design for a second embodiment of the integrated transceiver and dish antenna, the only difference over the first embodiment being that the non-claimed features shown in broken lines on the front surface are shown in solid lines, and therefore make up a part of the claim in this embodiment; and,

FIG. 8 is an elevation view from the front showing our design for an integrated transceiver and dish antenna.

1 Claim, 7 Drawing Sheets



# U.S. Patent May 9, 2000 Sheet 1 of 7 Des. 424,554





## U.S. Patent May 9, 2000 Sheet 2 of 7 Des. 424,554





FIG. 2

#### Des. 424,554 **U.S.** Patent May 9, 2000 Sheet 3 of 7







## U.S. Patent May 9, 2000 Sheet 4 of 7 Des. 424,554



*FIG*. 5

## U.S. Patent May 9, 2000 Sheet 5 of 7 Des. 424,554



# *FIG.* 6

## U.S. Patent May 9, 2000 Sheet 6 of 7 Des. 424,554





# *FIG.* 7



# *FIG.* 8