



US00D424785S

United States Patent [19]
Conaway

[11] **Patent Number: Des. 424,785**

[45] **Date of Patent: ** May 16, 2000**

[54] **SHOULDER STRAP REPOSITIONER FOR VEHICLE SEAT BELT ASSEMBLY**

5,692,246 12/1997 Benedick 2/463

OTHER PUBLICATIONS

[76] Inventor: **Brian J. Conaway**, 1827 King Ave., Columbus, Ohio 43212

Millennium Products "Child Protector," P.O. Box 117, Osh-temo MI 49077-0117. Photograph and description down-loaded from internet <http://2001safe.com/protector.htm> Aug. 5, 1999. Actual effective date unknown.

[**] Term: **14 Years**

Primary Examiner—Ralf Seifert
Attorney, Agent, or Firm—Carter & Schnedler, P.A.

[21] Appl. No.: **29/108,979**

[22] Filed: **Aug. 6, 1999**

[57] **CLAIM**

[51] **LOC (7) Cl.** **02-07**

[52] **U.S. Cl.** **D2/639**

[58] **Field of Search** D11/200, 216; D2/639; 24/685 B; 2/463-464, 455; D29/100, 122; 280/733, 801, 803, 806, 808; 297/389, 465, 265.15, 483, 484, 488, 482; 204/252

The ornamental design for a shoulder strap repositioner for vehicle seat belt assembly, as shown.

DESCRIPTION


[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 349,589	8/1994	York	D29/100
D. 408,961	5/1999	Meyers	D2/639
434,283	3/1890	Joichiro	297/488
3,941,404	3/1976	Otaegui-Ugarte	D29/100
4,752,369	6/1988	Caldwell et al.	204/252
5,275,468	1/1994	Vacuti	297/483

FIG. 1 is a three-dimensional view, generally of the front, of a shoulder strap repositioner for vehicle seat belt assemblies, showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof, the right side being a mirror image;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5




Fig. 6