



US00D425131S

United States Patent [19]
Gluck et al.

[11] **Patent Number: Des. 425,131**
[45] **Date of Patent: ** May 16, 2000**

[54] **EMERGENCY COMMUNICATIONS STANCHION**

D. 392,681 3/1998 Kuelbs et al. D20/10
4,454,671 6/1984 Morgenstern .
5,375,353 12/1994 Hulse 40/541 X
5,600,909 2/1997 Hooper .

[76] Inventors: **Leon Ernest Gluck; Victor A. Mireles,**
both of 2507 E. Yandell Dr., El Paso,
Tex. 79903

Primary Examiner—Susan J. Lucas
Assistant Examiner—J. Rivard
Attorney, Agent, or Firm—Akin, Gump, Strauss, Hauer &
Feld, LLP

[**] Term: **14 Years**

[21] Appl. No.: **29/104,576**

[57] **CLAIM**

[22] Filed: **May 7, 1999**

The ornamental design for an emergency communications stanchion, as shown and described.

Related U.S. Application Data

DESCRIPTION

[62] Division of application No. 29/085,215, Mar. 18, 1998, Pat. No. Des. 416,946.

[51] **LOC (7) Cl.** **20-02**

[52] **U.S. Cl.** **D20/10; D20/41**

[58] **Field of Search** D20/10, 17, 41;
248/511, 530, 156; 40/584, 585, 606, 607,
564, 541; 52/736.1; D25/126, 128

FIG. 1 is a front elevation of a preferred embodiment of the stanchion of our invention;
FIG. 2 is a rear elevation of the stanchion shown in FIG. 1;
FIG. 3 is a right side elevation of the stanchion shown in FIG. 1;
FIG. 4 is a left side elevation of the stanchion shown in FIG. 1;
FIG. 5 is a top plan view of the stanchion shown in FIG. 1; and,
FIG. 6 is a bottom plan view of the stanchion shown in FIG. 1.


[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 264,195 5/1982 Jacobs .
D. 279,909 7/1985 Huston .
D. 280,425 9/1985 Tuduri .
D. 331,198 11/1992 Nickeson .
D. 373,000 8/1996 Brady .

The broken lines are shown for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6