



US00D425223S

United States Patent [19] Li

[11] Patent Number: **Des. 425,223**

[45] Date of Patent: **** May 16, 2000**

[54] SAFETY LIGHT

[76] Inventor: **William Lian Li**, Unit 2, 5/Floor, Yee Kuk Industrial Centre, 555 Yee Kuk St., Cheung Sha Wan, Kowloon, The Hong Kong Special Administrative Region of the People's Republic of China

[**] Term: **14 Years**

[21] Appl. No.: **29/098,543**

[22] Filed: **Dec. 28, 1998**

[51] LOC (7) Cl. **26-06**

[52] U.S. Cl. **D26/28; D10/114**

[58] Field of Search D26/28-36; 362/41, 362/43, 459, 485, 486, 487, 493, 496, 498, 538, 540, 542; D10/114; 340/468, 471, 472, 473, 479, 478

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 191,130 8/1961 Mappes D26/28

D. 316,230	4/1991	Munoz	D26/28
D. 410,758	6/1999	Reinbach	D26/28
3,831,018	8/1974	Weber	D26/485
5,603,561	2/1997	Ohishi	362/522
5,718,499	2/1998	De Caro	362/464
5,797,672	8/1998	Dobert	362/190

Primary Examiner—Susan J. Lucas

[57] **CLAIM**

The ornamental design for the safety light, as shown and described.

DESCRIPTION

FIG. 1 is a front view of my new design;
FIG. 2 is a left side view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a rear view thereof; and,
FIG. 6 is a front view thereof with a section of the translucent cover cut-away to more clearly show the inner surface.

1 Claim, 5 Drawing Sheets





FIG. 1




FIG. 2






FIG. 3

FIG. 4






FIG. 5

FIG. 6

