

US00D425318S

**United States Patent** [19]  
**Koncar**

[11] **Patent Number:** **Des. 425,318**  
[45] **Date of Patent:** **\*\* May 23, 2000**

[54] **RUDDER CHAIR**  
[75] Inventor: **John Florian Koncar**, Cleveland, Ohio  
[73] Assignee: **Florian Enterprises, Inc.**  
[\*\*] Term: **14 Years**  
[21] Appl. No.: **29/103,206**  
[22] Filed: **Apr. 9, 1999**  
[51] **LOC (7) Cl.** ..... **06-01**  
[52] **U.S. Cl.** ..... **D6/334**  
[58] **Field of Search** ..... D6/334, 335, 336,  
D6/360, 364, 381, 500, 501, 502; 297/188.11,  
232, 451.2



[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
D. 177,620 5/1956 Futorian ..... D6/360  
D. 279,840 7/1985 Guillon ..... D6/381  
D. 292,146 10/1987 Culler ..... D6/334  
D. 307,983 5/1990 Choi ..... D6/381  
D. 346,506 5/1994 Gera ..... D6/381  
D. 384,215 9/1997 Chandler ..... D6/381  
D. 387,575 12/1997 Natuzzi et al. .... D6/381


**OTHER PUBLICATIONS**  
#3047, p. 14, NIC. Liesenbein’s Sons book, Oct. 1924.  
# 50803R–SD chair, W 37" D38" H35", p. 24, Kapen  
Furniture catalog, 1925.  
*Primary Examiner*—Doris V. Coles  
*Assistant Examiner*—Mimosa De

*Attorney, Agent, or Firm*—Arter & Hadden LLP  
[57] **CLAIM**  
The ornamental design for a rudder chair, as shown and  
described.



**DESCRIPTION**  
FIG. 1 is a perspective view of a first embodiment of the  
rudder chair of the present invention;  
FIG. 2 is a front view of a first embodiment of the rudder  
chair of the present invention;  
FIG. 3 is a side view of a first embodiment of the rudder  
chair of the present invention;  
FIG. 4 is a rear view of a first embodiment of the rudder  
chair of the present invention;  
FIG. 5 is a top view of a first embodiment of the rudder chair  
of the present invention;  
FIG. 6 is a bottom view of a first embodiment of the rudder  
chair of the present invention;  
FIG. 7 is a perspective view of a second embodiment of the  
rudder chair of the present invention;  
FIG. 8 is a front view of a second embodiment of the rudder  
chair of the present invention;  
FIG. 9 is a side view of a second embodiment of the rudder  
chair of the present invention;  
FIG. 10 is a rear view of a second embodiment of the rudder  
chair of the present invention;  
FIG. 11 is a top view of a second embodiment of the rudder  
chair of the present invention; and,  
FIG. 12 is a bottom view of a second embodiment of the  
rudder chair of the present invention.

**1 Claim, 4 Drawing Sheets**





**Fia.1**



**Fig.3**




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9






Fig.10




Fig.11




Fig.12