



US00D425321S

United States Patent [19]

Tholkes et al.

[11] Patent Number: Des. 425,321
[45] Date of Patent: ** May 23, 2000

[54] WORK STATION

[76] Inventors: **Alan L. Tholkes; Jack Hockenberry**, both of 12376 River Ridge Blvd., Burnsville, Minn. 55337

[**] Term: **14 Years**

[21] Appl. No.: **29/101,073**

[22] Filed: **Feb. 25, 1999**

[51] LOC (7) Cl. **06-01**

[52] U.S. Cl. **D6/338**

[58] Field of Search D6/330, 334, 335, D6/336, 338, 360, 367, 368, 379, 380, 500-502; 297/144, 170, 172, 173, 174, 411.2, 411.27, 411.37, 411.38, 423.1, 423.11, 423.12, 423.13, 135

[56] References Cited

U.S. PATENT DOCUMENTS

D. 373,030	8/1996	Chen	D6/338
D. 380,910	7/1997	LeSourd et al.	D6/338
4,767,159	8/1988	Opsvik	297/172
4,767,160	8/1988	Mengshoel et al.	297/423.12
5,029,941	7/1991	Twisselmann	297/411.38
5,054,852	10/1991	Tholkes	297/172
5,653,499	8/1997	Goodall	297/173
5,893,607	4/1999	Trimmell	297/411.37
5,961,179	10/1999	Dixon et al.	297/173

OTHER PUBLICATIONS

Vecta Assisa chairs, in Miscellaneous Furniture boxes, Apr. 27, 1989.

Primary Examiner—Doris V. Coles

Assistant Examiner—Mimosa De

Attorney, Agent, or Firm—Patterson & Keough, P.A.

[57] CLAIM

The ornamental design for work station, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the work station of this invention in a first position;

FIG. 2 is a front view of the work station of this invention in a second position;

FIG. 3 is a front view of the work station of this invention in a third position;

FIG. 4 is a rear view of the work station of this invention in a first position;

FIG. 5 is a rear view of the work station of this invention in a second position;

FIG. 6 is a rear view of the work station of this invention in a third position;

FIG. 7 is a left side view of the work station of this invention in a first position;

FIG. 8 is a left side view of the work station of this invention in a second position;

FIG. 9 is a left side view of the work station of this invention in a third position;

FIG. 10 is a right side view of the work station of this invention in a first position;

FIG. 11 is a right side view of the work station of this invention in a second position;

FIG. 12 is a right side view of the work station of this invention in a third position;

FIG. 13 is a top plan view of the work station of this invention in a first position;

FIG. 14 is a top plan view of the work station of this invention in a second position;

FIG. 15 is a top plan view of the work station of this invention in a third position;

FIG. 16 is a front perspective view of the work station of this invention in a first position;

FIG. 17 is a front perspective view of the work station of this invention in a second position;

FIG. 18 is a front perspective view of the work station of this invention in a third position; and,

FIG. 19 is a front perspective view of the work station of this invention in a forth position.

1 Claim, 19 Drawing Sheets



U.S. Patent

May 23, 2000

Sheet 1 of 19

Des. 425,321




FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12




FIG. 13




FIG. 14




FIG. 15



FIG. 16



FIG. 17



FIG. 18

U.S. Patent

May 23, 2000

Sheet 19 of 19

Des. 425,321



FIG. 19