



US00D425351S

**United States Patent** [19]  
**Rhodenbaugh**

[11] **Patent Number: Des. 425,351**

[45] **Date of Patent: \*\* May 23, 2000**

[54] **COMBINATION BOTTLE AND BRACKET LIQUID DISPENSING SYSTEM**

[76] Inventor: **Joseph W. Rhodenbaugh**, 7650 Camargo Rd., Cincinnati, Ohio 45243-3009

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/114,163**

[22] Filed: **Nov. 16, 1999**

[51] **LOC (7) Cl.** ..... **23-02**

[52] **U.S. Cl.** ..... **D6/545**

[58] **Field of Search** ..... D6/542-545; 222/92, 222/105, 173, 180, 181.1, 181.2; 221/282, 283

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 217,872	6/1970	Sessions	.....	D6/545
D. 272,493	2/1984	Steiner et al.	.	
D. 331,516	12/1992	Waring	.....	D6/545
D. 338,585	8/1983	Bell et al.	.	
D. 378,035	2/1997	Ophardt	.....	D6/545
3,096,913	7/1963	Corley	.	
3,623,641	11/1971	Hansen et al.	.	
3,926,347	12/1975	Low et al.	.	
3,945,060	3/1976	Gargione	.	
3,990,611	11/1976	Sojka	.	
4,085,867	4/1978	Heller	.	
4,164,306	8/1979	Perrin	.....	222/181.1
4,166,553	9/1979	Fraterrigo	.	
4,213,933	7/1980	Cambio	.	
4,248,398	2/1981	Doyel	.	
4,280,638	7/1981	Keihm	.	
4,319,701	3/1982	Cambio	.	
4,345,627	8/1982	Cassia	.	
4,461,445	7/1984	Williamson et al.	.	
4,582,227	4/1986	Kanfer	.	
4,650,095	3/1987	Tella et al.	.	
4,679,709	7/1987	Poitras et al.	.	
4,974,753	12/1990	Tucker et al.	.	
5,014,880	5/1991	Loesel, Jr. et al.	.	

5,067,680	11/1991	Miller	.
5,265,772	11/1993	Bartasevich et al.	.
5,356,038	10/1994	Banks	.
5,499,748	3/1996	Iaia et al.	.

*Primary Examiner*—Brian N. Vinson  
*Attorney, Agent, or Firm*—Dinsmore & Shohl LLP


[57] **CLAIM**

The ornamental design for a combination bottle and bracket liquid dispensing system, as shown and described.

**DESCRIPTION**

FIG. 1 is a top front perspective view of a combination bottle and bracket liquid dispensing system embodying my new design;  
 FIG. 2 is a front elevational view of the bottle of FIG. 1;  
 FIG. 3 is a right side elevational view of the bottle;  
 FIG. 4 is a rear elevational view of the bottle;  
 FIG. 5 is a bottom front perspective view of the bottle;  
 FIG. 6 is a bottom plan view of the bottle;  
 FIG. 7 is a top plan view of the bottle;  
 FIG. 8 is a top front perspective view of the bracket of FIG. 1;  
 FIG. 9 is a front elevational view of the bracket;  
 FIG. 10 is a right side elevational view of the bracket;  
 FIG. 11 is a rear elevational view of the bracket;  
 FIG. 12 is a bottom plan view of the bracket;  
 FIG. 13 is a top plan view of the bracket;  
 FIG. 14 is a right side elevational view of the bottle and bracket liquid dispensing system of FIG. 1, shown with an exemplary pump dispensing closure cap in phantom;  
 FIG. 15 is a front elevational view of the combination;  
 FIG. 16 is a top plan view of the combination;  
 FIG. 17 is a bottom plan view of the combination; and,  
 FIG. 18 is a rear elevational view of the combination.  
 The left side elevational views have been omitted, but would be mirror images of the right side elevational views shown and described herein.  
 The broken-line disclosure in the views is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 15 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6




FIG. 8






FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 17




FIG. 16




FIG. 18