



US00D425397S

United States Patent [19]

Fiegenger et al.

[11] Patent Number: Des. 425,397

[45] Date of Patent: ** May 23, 2000

[54] PADLOCK

[75] Inventors: **John Darrin Fiegenger**, Mendon; **Roy Alden Thompson**, Mattapan; **Joseph Robert Geringer**, Melrose; **Harry West**, Lexington, all of Mass.

[73] Assignee: **Master Lock Company**, Milwaukee, Wis.

[**] Term: **14 Years**

[21] Appl. No.: **29/099,513**

[22] Filed: **Jan. 22, 1999**

[51] LOC (7) Cl. **08-07**

[52] U.S. Cl. **D8/334**

[58] Field of Search D8/330, 331, 333, D8/334; 70/14, 20, 21, 31, 35, 36, 40, 41, 38 A, 38 R, 48

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|----------------------|--------|
| 8,318 | 8/1951 | Tilton . | |
| 116,972 | 7/1871 | Madge . | |
| D. 144,682 | 5/1946 | Bouhall | D8/334 |
| 229,332 | 6/1880 | Pease . | |
| D. 315,090 | 3/1991 | Pedersen | D8/334 |
| D. 321,824 | 11/1991 | Applebaum | D8/334 |
| D. 342,009 | 12/1993 | LeBrecht et al. | D8/334 |
| D. 388,688 | 1/1998 | Yang | D8/334 |
| D. 406,043 | 2/1999 | LeClaire | D8/334 |
| D. 407,625 | 4/1999 | Yang | D8/334 |
| 536,196 | 3/1895 | Edgar . | |
| 587,609 | 8/1897 | Roland . | |
| 596,596 | 1/1898 | Johnson . | |
| 767,004 | 8/1904 | Muchowicz . | |
| 816,492 | 3/1906 | Mohr . | |
| 823,919 | 6/1906 | Caldwell . | |
| 952,643 | 3/1910 | Roche . | |
| 1,003,331 | 9/1911 | Caldwell . | |
| 1,062,594 | 5/1913 | Isidor . | |
| 1,103,015 | 7/1914 | Andrus . | |

| | | |
|-----------|--------|------------|
| 1,153,405 | 9/1915 | Rogers . |
| 1,490,453 | 4/1924 | Caldwell . |
| 1,581,953 | 4/1926 | Jackson . |
| 1,662,612 | 3/1928 | Junkunc . |

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

| | | |
|--------|---------|------------------|
| 24706 | of 1910 | United Kingdom . |
| 270983 | 5/1927 | United Kingdom . |
| 571487 | 8/1945 | United Kingdom . |

Primary Examiner—Susan J. Lucas
Assistant Examiner—Jennifer Rivard
Attorney, Agent, or Firm—Pennie & Edmonds LLP

[57] CLAIM



The ornamental design for a padlock, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a padlock showing our new design;
 FIG. 2 is a front view thereof;
 FIG. 3 is a back view thereof;
 FIG. 4 is a left view thereof;
 FIG. 5 is a right view thereof;
 FIG. 6 is a top view thereof;
 FIG. 7 is a bottom view thereof;
 FIG. 8 is a perspective view of an alternative embodiment of our new design;
 FIG. 9 is a front view thereof;
 FIG. 10 is a left view thereof;
 FIG. 11 is a right view thereof;
 FIG. 12 is a top view thereof; and,
 FIG. 13 is a bottom view thereof.

The back view of the alternative embodiment is the same as FIG. 3. The portions shown in phantom lines are not part of the claimed invention, but are included to show environment.

1 Claim, 7 Drawing Sheets



Des. 425,397

Page 2

| U.S. PATENT DOCUMENTS | | | | | | |
|-----------------------|---------|--------------------|-----------|--------|-------------------|-------|
| | | | 4,317,344 | 3/1982 | Barnard | 70/55 |
| 3,260,079 | 7/1966 | Caskey | 4,519,226 | 5/1985 | Hadaway | 70/48 |
| 3,267,707 | 8/1966 | Adams | 4,651,543 | 3/1987 | Heald et al. | 70/54 |
| 3,848,440 | 11/1974 | Manuel | 4,905,486 | 3/1990 | Applebaum | 70/54 |
| 3,983,725 | 10/1976 | Manuel et al. | 4,998,423 | 3/1991 | Hsu | 70/40 |
| 4,134,280 | 1/1979 | Pelavin | 5,044,180 | 9/1991 | Lebrecht | 70/48 |
| 4,271,691 | 6/1981 | Logan | 5,046,339 | 9/1991 | Krell | 70/55 |
| 4,297,861 | 11/1981 | Dykes | | | | |




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13