



US00D425417S

**United States Patent** [19]  
**Gaffney et al.**

[11] **Patent Number: Des. 425,417**  
[45] **Date of Patent: \*\* May 23, 2000**

[54] **9V BATTERY PACKAGE**

[75] Inventors: **Robert C. Gaffney**, Sun Prairie;  
**Gerald A. Albright**; **Ron G. Hellenbrand**, both of Middleton; **Ross Mack**, Dane, all of Wis.

[73] Assignee: **Rayovac Corporation**, Madison, Wis.

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/100,236**

[22] Filed: **Feb. 8, 1999**

[51] **LOC (7) Cl.** ..... **09-07**

[52] **U.S. Cl.** ..... **D9/423; D9/425**

[58] **Field of Search** ..... D9/420-425, 432,  
D9/415, 337, 341; D3/201, 273; 206/503,  
508, 509, 511, 518, 703, 704, 705, 372;  
220/4.02, 781, 782, 783, 836, 797, 351,  
376, 380, 675, 833, 507, 259

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 222,581	11/1971	Nakakuma et al. .	
D. 231,433	4/1974	Congleton .....	D9/423
D. 285,413	9/1986	Carlson .....	D9/337
D. 295,833	5/1988	Roth .	
D. 307,554	5/1990	McAlister, Sr. .	
D. 327,220	6/1992	Proffit et al. ....	D9/425 X
D. 330,855	11/1992	Demopoulos et al. .	
D. 393,799	4/1998	Pope et al. .	
D. 394,207	5/1998	Waterbury et al. .	
2,465,644	3/1949	Graves .....	220/507
3,082,903	3/1963	Stevens et al. ....	220/833
4,209,091	6/1980	Lieberman .....	206/704
4,401,229	8/1983	Bell et al. ....	220/259
4,696,402	9/1987	Harmon et al. .	
4,896,770	1/1990	Calcerano et al. .	
5,012,928	5/1991	Proffit et al. ....	206/508
5,311,989	5/1994	Ward et al. .	
5,370,227	12/1994	Shibazaki et al. ....	206/508 X
5,429,233	7/1995	Juaristi .	

5,462,161	10/1995	Halaburda et al. .	
5,586,657	12/1996	Ward et al. .	
5,593,036	1/1997	Dyble et al. .	
5,735,404	4/1998	Kumakura et al. ....	206/705 X

**OTHER PUBLICATIONS**

“New PDQ Display”—Rayovac Corporation, Madison, Wisconsin—1998.

“Rayovac MAXIMUM® Challenge Dangler”—Rayovac Corporation, Madison, Wisconsin.

“New Maximum™ Alkaline 16 Pack”—Rayovac Corporation, Madison, Wisconsin—1997.

“America’s #1 Heavy Duty Battery”—Rayovac Corporation, Madison, Wisconsin—1998.

U.S. Application No. 29/086,883, filed Apr. 22, 1998, pending.

U.S. Application No. 29/086,884, filed Apr. 22, 1998, pending.

U.S. Application No. 29/094,324, filed Sep. 30, 1998, pending.

*Primary Examiner*—Prabhakar Deshmukh  
*Attorney, Agent, or Firm*—Lathrop & Clark LLP


[57] **CLAIM**


The ornamental design for a 9V battery package, as shown and described.

**DESCRIPTION**


FIG. 1 is a top perspective view of the 9V battery package of this invention in an open configuration, with an array of batteries located therein shown as environmental material, the batteries forming no part of the claimed design; FIG. 2 is a front elevational view thereof; in a closed configuration; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left side elevational view thereof, the right side elevational view being a mirror image thereof; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom plan view thereof.

**1 Claim, 2 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**