



US00D425443S

United States Patent [19]
Anscher

[11] **Patent Number: Des. 425,443**

[45] **Date of Patent: ** May 23, 2000**

[54] **MALE BUCKLE PORTION**

[75] **Inventor: Joseph Anscher, Muttontown, N.Y.**

[73] **Assignee: National Molding Corporation,
Farmingdale, N.Y.**

[**] **Term: 14 Years**

[21] **Appl. No.: 29/108,864**

[22] **Filed: Aug. 4, 1999**

[51] **LOC (7) Cl. 02-07**

[52] **U.S. Cl. D11/216**

[58] **Field of Search D11/200, 212,
D11/215-218; 24/193, 196, 197, 200, 63 A,
523, 625, 633, 664, 613, 615-616; D8/383**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 320,178 9/1991 Kasai D11/218
D. 341,105 11/1993 Lovato D11/218

D. 343,144 1/1994 Matoba D11/216
D. 364,125 11/1995 Anscher D11/216
D. 397,641 9/1998 Hamilton et al. D11/216
D. 405,723 2/1999 Anscher D11/216
5,774,947 7/1998 Anscher 24/200

Primary Examiner—Ralf Seifert
Attorney, Agent, or Firm—Collard & Roe, P.C.


[57] **CLAIM**

The ornamental design for a male buckle portion, as shown and described.

DESCRIPTION

FIG. 1 shows a top view of my design for a male buckle portion;
FIG. 2 shows a bottom view thereof;
FIG. 3 shows a side view thereof, with the opposite side being identical;
FIG. 4 shows a rear end view thereof;
FIG. 5 shows a front end view thereof; and,
FIG. 6 shows a perspective view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6