



US00D425713S

# United States Patent [19]

[11] Patent Number: Des. 425,713

Tholkes et al.

[45] Date of Patent: \*\* May 30, 2000

## [54] ADJUSTABLE SEATING UNIT

[76] Inventors: Alan L. Tholkes; Jack Hockenberry, both of c/o Health Postures, Inc., 12376 River Ridge Blvd., Burnsville, Minn. 55337

[\*\*] Term: 14 Years

[21] Appl. No.: 29/101,078

[22] Filed: Feb. 25, 1999

[51] LOC (7) Cl. .... 06-01

[52] U.S. Cl. .... D6/335

[58] Field of Search ..... D6/330, 334, 335, D6/336, 338, 360, 367, 368, 379, 380, 500-502; 297/144, 170, 172, 173, 174, 411.2, 411.27, 411.38, 423.1, 423.11, 423.12, 423.13

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 292,654	11/1987	Melvin	.....	D6/335
D. 323,073	1/1992	Opsvik	.....	D6/335
D. 327,375	6/1992	Cooper	.....	D6/338
D. 348,568	7/1994	Landry	.....	D6/335
4,765,684	8/1988	Kvalheim et al.	.....	297/423.13
4,767,160	8/1988	Mengshoel et al.	.....	297/423.12
4,832,407	5/1989	Serber	.....	297/423.12
5,255,957	10/1993	Opsvil et al.	.....	297/423.12
5,667,278	9/1997	Li	.....	297/423.13
5,669,669	9/1997	Usher	.....	297/423.11

### OTHER PUBLICATIONS

Vecta Assisa chairs, in Miscellaneous Furniture boxes, Apr. 27, 1989.

Primary Examiner—Doris V. Coles  
Assistant Examiner—Mimosa De  
Attorney, Agent, or Firm—Patterson & Keough, P.A.

## [57] CLAIM

The ornamental design for adjustable seating unit, as shown and described.

## DESCRIPTION

FIG. 1 is a front view of an adjustable seating unit of this invention in a first position;  
FIG. 2 is a front view of the adjustable seating unit of this invention in a second position;  
FIG. 3 is a front view of the adjustable seating unit of this invention in a third position;  
FIG. 4 is a rear view of the adjustable seating unit of this invention in a first position;  
FIG. 5 is a rear view of the adjustable seating unit of this invention in a second position;  
FIG. 6 is a rear view of the adjustable seating unit of this invention in a third position;  
FIG. 7 is a left side view of the adjustable seating unit of this invention in a first position;  
FIG. 8 is a left side view of the adjustable seating unit of this invention in a second position;  
FIG. 9 is a left side view of the adjustable seating unit of this invention in a third position;  
FIG. 10 is a right side view of the adjustable seating unit of this invention in a first position;  
FIG. 11 is a right side view of the adjustable seating unit of this invention in a second position;  
FIG. 12 is a right side view of the adjustable seating unit of this invention in a third position;  
FIG. 13 is a top plan view of the adjustable seating unit of this invention in a first position;  
FIG. 14 is a top plan view of the adjustable seating unit of this invention in a second position;  
FIG. 15 is a top plan view of the adjustable seating unit of this invention in a third position;  
FIG. 16 is a front perspective view of the adjustable seating unit of this invention in a first position;  
FIG. 17 is a front perspective view of the adjustable seating unit of this invention in a second position; and,  
FIG. 18 is a front perspective view of the adjustable seating unit of this invention in a third position.

1 Claim, 18 Drawing Sheets





FIG. 1



FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6



FIG. 7





FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12




FIG. 13



FIG. 14



FIG. 15





FIG. 16



FIG. 17



FIG. 18