



US00D425859S

United States Patent [19]
Oliver et al.

[11] **Patent Number: Des. 425,859**

[45] **Date of Patent: ** May 30, 2000**

[54] **BATTERY COVER**

[75] Inventors: **Mark W. Oliver**, Mundelein, Ill.; **Todd E. Lewis**, Mt. View, Calif.; **Max Yoshimoto**; **Pierre-Yves Dubois**, both of San Francisco, Calif.

[73] Assignee: **Motorola, Inc.**, Schaumburg, Ill.

[**] Term: **14 Years**

[21] Appl. No.: **29/106,654**

[22] Filed: **Jun. 18, 1999**

[51] **LOC (7) Cl.** **13-02**

[52] **U.S. Cl.** **D13/119**

[58] **Field of Search** D13/119, 156;
455/128; 429/175, 176

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|---------------------|---------|
| D. 305,717 | 1/1990 | Soren et al. . | |
| D. 353,361 | 12/1994 | Nagele et al. . | |
| D. 367,640 | 3/1996 | Nagele et al. . | |
| D. 372,896 | 8/1996 | Nagele et al. . | |
| D. 374,424 | 10/1996 | Nagele et al. . | |
| D. 375,932 | 11/1996 | Nagele et al. . | |
| D. 376,127 | 12/1996 | Nagele et al. . | |
| D. 378,366 | 3/1997 | Nagele et al. . | |
| D. 382,537 | 8/1997 | Brunette . | |
| D. 382,538 | 8/1997 | Brunette . | |
| D. 387,199 | 12/1997 | Nagele et al. . | |
| D. 389,641 | 1/1998 | McCutcheon et al. . | |
| D. 398,580 | 9/1998 | Richards | D13/119 |
| D. 400,496 | 11/1998 | Barber et al. . | |
| D. 401,554 | 11/1998 | Nagele et al. . | |
| D. 403,265 | 12/1998 | Nagele et al. | D13/119 |
| D. 406,695 | 3/1999 | Nagele et al. . | |

| | | | |
|------------|---------|------------------------|---------|
| D. 407,063 | 3/1999 | Reis, Jr. et al. . | |
| D. 407,368 | 3/1999 | Mason | D13/119 |
| D. 408,402 | 4/1999 | Shimelfarb et al. . | |
| 4,582,767 | 4/1986 | Morioka et al. | 429/121 |
| 5,405,716 | 4/1995 | Yoshimatsu et al. | 429/65 |
| 5,848,719 | 12/1998 | Goldenberg | 220/326 |

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Sylvia Chen


[57] **CLAIM**

The ornamental design for a battery cover, as shown and described.

DESCRIPTION

FIG. 1 is a front, bottom, and left side perspective view of a first embodiment of a battery cover;
 FIG. 2 is a top plan view of the first embodiment;
 FIG. 3 is a right side elevation view of the first embodiment;
 FIG. 4 is a front elevation view of the first embodiment;
 FIG. 5 is a left side elevation view of the first embodiment;
 FIG. 6 is a rear elevation view of the first embodiment;
 FIG. 7 is a bottom plan view of the first embodiment;
 FIG. 8 is a front, bottom, and left side perspective view of a second embodiment of a battery cover;
 FIG. 9 is a top plan view of the second embodiment;
 FIG. 10 is a right side elevation view of the second embodiment;
 FIG. 11 is a front elevation view of the second embodiment;
 FIG. 12 is a left side elevation view of the second embodiment;
 FIG. 13 is a rear elevation view of the second embodiment;
 and,
 FIG. 14 is a bottom plan view of the second embodiment.
 The broken line matter in all figures is for illustrative purposes only and forms no part of the first embodiment.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13



FIG. 14