



US00D425859S

# United States Patent [19]

Oliver et al.

[11] Patent Number: **Des. 425,859**

[45] Date of Patent: **\*\* May 30, 2000**

[54] **BATTERY COVER**

[75] Inventors: **Mark W. Oliver**, Mundelein, Ill.; **Todd E. Lewis**, Mt. View, Calif.; **Max Yoshimoto**; **Pierre-Yves Dubois**, both of San Francisco, Calif.

[73] Assignee: **Motorola, Inc.**, Schaumburg, Ill.

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/106,654**

[22] Filed: **Jun. 18, 1999**

[51] **LOC (7) Cl.** ..... **13-02**

[52] **U.S. Cl.** ..... **D13/119**

[58] **Field of Search** ..... **D13/119, 156; 455/128; 429/175, 176**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

|            |         |                     |         |
|------------|---------|---------------------|---------|
| D. 305,717 | 1/1990  | Soren et al. .      |         |
| D. 353,361 | 12/1994 | Nagele et al. .     |         |
| D. 367,640 | 3/1996  | Nagele et al. .     |         |
| D. 372,896 | 8/1996  | Nagele et al. .     |         |
| D. 374,424 | 10/1996 | Nagele et al. .     |         |
| D. 375,932 | 11/1996 | Nagele et al. .     |         |
| D. 376,127 | 12/1996 | Nagele et al. .     |         |
| D. 378,366 | 3/1997  | Nagele et al. .     |         |
| D. 382,537 | 8/1997  | Brunette .          |         |
| D. 382,538 | 8/1997  | Brunette .          |         |
| D. 387,199 | 12/1997 | Nagele et al. .     |         |
| D. 389,641 | 1/1998  | McCutcheon et al. . |         |
| D. 398,580 | 9/1998  | Richards .....      | D13/119 |
| D. 400,496 | 11/1998 | Barber et al. .     |         |
| D. 401,554 | 11/1998 | Nagele et al. .     |         |
| D. 403,265 | 12/1998 | Nagele et al. ....  | D13/119 |
| D. 406,695 | 3/1999  | Nagele et al. .     |         |

|            |         |                        |         |
|------------|---------|------------------------|---------|
| D. 407,063 | 3/1999  | Reis, Jr. et al. .     |         |
| D. 407,368 | 3/1999  | Mason .....            | D13/119 |
| D. 408,402 | 4/1999  | Shimelfarb et al. .    |         |
| 4,582,767  | 4/1986  | Morioka et al. ....    | 429/121 |
| 5,405,716  | 4/1995  | Yoshimatsu et al. .... | 429/65  |
| 5,848,719  | 12/1998 | Goldenberg .....       | 220/326 |

*Primary Examiner*—Joel Sincavage  
*Attorney, Agent, or Firm*—Sylvia Chen


[57] **CLAIM**


The ornamental design for a battery cover, as shown and described.

**DESCRIPTION**


FIG. 1 is a front, bottom, and left side perspective view of a first embodiment of a battery cover;  
 FIG. 2 is a top plan view of the first embodiment;  
 FIG. 3 is a right side elevation view of the first embodiment;  
 FIG. 4 is a front elevation view of the first embodiment;  
 FIG. 5 is a left side elevation view of the first embodiment;  
 FIG. 6 is a rear elevation view of the first embodiment;  
 FIG. 7 is a bottom plan view of the first embodiment;  
 FIG. 8 is a front, bottom, and left side perspective view of a second embodiment of a battery cover;  
 FIG. 9 is a top plan view of the second embodiment;  
 FIG. 10 is a right side elevation view of the second embodiment;  
 FIG. 11 is a front elevation view of the second embodiment;  
 FIG. 12 is a left side elevation view of the second embodiment;  
 FIG. 13 is a rear elevation view of the second embodiment;  
 and,  
 FIG. 14 is a bottom plan view of the second embodiment.  
 The broken line matter in all figures is for illustrative purposes only and forms no part of the first embodiment.

**1 Claim, 6 Drawing Sheets**







***FIG. 1***




*FIG. 2*




*FIG. 3*



*FIG. 4*



*FIG. 5*




*FIG. 6*




*FIG. 7*







***FIG. 8***




*FIG. 9*




*FIG. 10*



*FIG. 11*



*FIG. 12*



*FIG. 13*



*FIG. 14*