



US00D425884S

United States Patent [19] Miyazawa

[11] **Patent Number: Des. 425,884**

[45] **Date of Patent: ** May 30, 2000**

[54] **FACSIMILE TRANSMITTER-RECEIVER**

[75] Inventor: **Yoshihiro Miyazawa**, Tokyo, Japan

[73] Assignee: **Canon Kabushiki Kaisha**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/108,249**

[22] Filed: **Jul. 26, 1999**

[30] **Foreign Application Priority Data**

Jan. 29, 1999 [JP] Japan 11-002089

[51] **LOC (7) Cl.** **16-03**

[52] **U.S. Cl.** **D14/118**

[58] **Field of Search** D14/118, 124,
D14/299; 358/400, 401; D28/36, 37

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 328,739 8/1992 Miyazawa D14/118

D. 338,666 8/1993 Miyazawa D14/118

D. 355,905 2/1995 Takeuchi D14/118
D. 363,713 10/1995 Kanari et al. D14/118
D. 397,333 8/1998 Kawai D14/118
5,166,812 11/1992 Dow et al. 358/400 X
5,329,377 7/1994 Gregg 358/400

Primary Examiner—Prabhakar Deshmukh
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for a facsimile transmitter-receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a facsimile transmitter-receiver showing my new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof; and,
FIG. 7 is a perspective view thereof.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG. 7