



US00D425893S

United States Patent [19]

Bassoff

[11] **Patent Number: Des. 425,893**

[45] **Date of Patent: ** May 30, 2000**

[54] **MESSAGE CENTER**

[76] Inventor: **Scott Z. Bassoff**, 9 Black Birch La.,
Scarsdale, N.Y. 10583

[**] Term: **14 Years**

[21] Appl. No.: **29/096,183**

[22] Filed: **Nov. 6, 1998**

[51] **LOC (7) Cl. 14-01**

[52] **U.S. Cl. D14/168; D14/160; D14/167;
D6/567**

[58] **Field of Search D6/567; D14/124,
D14/160, 167, 168, 217, 299; D19/75,
86, 90; 211/70.6, 86.01, 87.01, 88.01; 455/344,
347, 350-351**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 190,178 4/1961 Goodyear D19/90 X

D. 309,734 8/1990 Mackin D14/299 X
D. 326,414 5/1992 Africk D19/90 X
D. 347,137 5/1994 McWhirter D6/567
D. 375,098 10/1996 Moallemi et al. D14/168
D. 390,263 2/1998 Jack D19/90 X

Primary Examiner—Nanda Bondade
Attorney, Agent, or Firm—Kirschstein, et al.

[57] **CLAIM**

The ornamental design for a message center, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a message center according to my new design.

FIG. 2 is a top plan view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a rear elevational view thereof; and,

FIG. 6 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

