



US00D426129S

United States Patent [19]
Pringle et al.

[11] **Patent Number: Des. 426,129**
[45] **Date of Patent: ** Jun. 6, 2000**

[54] **HAMMER HANDLE**

[75] Inventors: **David L. Pringle**, Town & Country,
Mo.; **Joseph T. Gierer**, Glen Carbon,
Ill.; **Kiyo Hoshino**, Chesterfield, Mo.

[73] Assignee: **Emerson Electric Co.**, St. Louis, Mo.

[**] Term: **14 Years**

[21] Appl. No.: **29/096,498**

[22] Filed: **Nov. 12, 1998**

Related U.S. Application Data

[62] Division of application No. 29/086,018, Apr. 2, 1998, Pat.
No. Des. 416,462.

[51] **LOC (7) Cl.** **08-02**

[52] **U.S. Cl.** **D8/80; D8/107**

[58] **Field of Search** D8/75, 76, 77,
D8/78, 79, 80, 81, 107; 81/20, 21, 22, 23,
24, 25; 16/110 R

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 237,582	11/1975	Mostyn	D8/75
D. 252,495	7/1979	Breger	D8/80
D. 302,515	8/1989	Kandel	D8/75
D. 322,021	12/1991	Hsu	D8/75
D. 324,473	3/1992	Chen	D8/80
D. 329,796	9/1992	Olson et al.	D8/80
5,408,902	4/1995	Burnett	81/22

FOREIGN PATENT DOCUMENTS

1137125	5/1957	France .
1273449	7/1968	Germany .

Primary Examiner—Philip S. Hyder
Attorney, Agent, or Firm—Howrey Simon Arnold & White,
LLP


[57] **CLAIM**

The ornamental design for a hammer handle, as shown.

DESCRIPTION

FIG. 1 is a side view of the hammer handle of the present invention having a left-handed handle portion in accordance with a first embodiment;
FIG. 2 is a side view of the hammer handle of the present invention having a left-handed handle portion viewed from the opposite side as shown in FIG. 1;
FIG. 3 is a perspective view of the hammer handle of the present invention having a left-handed handle portion in accordance with a first embodiment;
FIG. 4 is a back view of the hammer handle of the present invention having a left-handed handle portion in accordance with a first embodiment;
FIG. 5 is a front view of the hammer handle of the present invention having a left-handed handle portion in accordance with a first embodiment;
FIG. 6 is a top cross-sectional view of the hammer handle of the present invention having a left-handed handle portion in accordance with a first embodiment;
FIG. 7 is a bottom view of the hammer handle of the present invention having a left-handed handle portion in accordance with a first embodiment;
FIG. 8 is a perspective view of the hammer handle of the present invention having a right-handed handle portion in accordance with a second embodiment;
FIG. 9 is a back view of the hammer handle of the present invention having a right-handed handle portion in accordance with a second embodiment;
FIG. 10 is a front view of the hammer handle of the present invention having a right-handed handle portion in accordance with a second embodiment;
FIG. 11 is a top cross-sectional view of the hammer handle of the present invention having a right-handed handle portion in accordance with a second embodiment; and,
FIG. 12 is a bottom view of the hammer handle of the present invention having a right-handed handle portion in accordance with a second embodiment.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12