



US00D426227S

United States Patent [19] Taniguchi

[11] **Patent Number: Des. 426,227**
[45] **Date of Patent: ** Jun. 6, 2000**

[54] **RADIO RECEIVER**

D. 264,718 6/1982 Hoshino D14/171
D. 267,319 12/1982 Van De Ven D14/171
D. 312,640 12/1990 Taniguchi D14/196

[75] Inventor: **Shuhei Taniguchi**, Tokyo, Japan

[73] Assignee: **Sony Corporation**, Tokyo, Japan

[**] Term: **14 Years**

Primary Examiner—Nanda Bondade
Attorney, Agent, or Firm—Foley & Lardner

[21] Appl. No.: **29/058,088**

[57] **CLAIM**

[22] Filed: **Aug. 7, 1996**

The ornamental design for a radio receiver, as shown and described.

Related U.S. Application Data

DESCRIPTION

[62] Division of application No. 29/031,906, Nov. 30, 1994, Pat. No. Des. 373,126.

FIG. 1 is a perspective view of a radio receiver showing my new design;

[30] Foreign Application Priority Data

May 31, 1994 [JP] Japan 6-15477

FIG. 2 is a front elevational view thereof;

[51] **LOC (7) Cl.** **14-03**

FIG. 3 is a rear elevational view thereof;

[52] **U.S. Cl.** **D14/194; D14/198**

FIG. 4 is a top plan view thereof;

[58] **Field of Search** D14/160-168,
D14/170-171, 188, 192-198; 455/344,
347, 350, 351

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side elevational view thereof; and,

FIG. 7 is a right side elevational view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 263,832 4/1982 Lee D14/171

1 Claim, 3 Drawing Sheets




FIG.6




FIG.7




FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

