



US00D426330S

**United States Patent** [19]  
**Cramer**

[11] **Patent Number: Des. 426,330**  
[45] **Date of Patent: \*\* Jun. 6, 2000**

[54] **COVER-LITE ILLUMINATION TOOL**

[76] Inventor: **David Cramer**, 6337 W. Turquoise,  
Glendale, Ariz. 85302

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/043,293**

[22] Filed: **Aug. 31, 1995**

[51] **LOC (7) Cl.** ..... **26-02**

[52] **U.S. Cl.** ..... **D26/38**

[58] **Field of Search** ..... D26/37-50; 362/157,  
362/158, 183-208, 103, 104, 105

D. 320,667	10/1991	Smith	.....	D26/39
D. 337,838	7/1993	Van Der Bel	.....	D26/39
D. 362,080	9/1995	Lehrer et al.	.....	D26/39
D. 373,433	9/1996	Feinbloom	.....	D26/39
2,234,995	3/1941	Waechter	.....	D26/39

*Primary Examiner*—Marcus A. Jackson  
*Attorney, Agent, or Firm*—Parsons & Goltry; Robert A. Parsons; Michael W. Goltry

[57] **CLAIM**

The ornamental design for a cover-lite illumination tool, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of the lamp of the present invention as it would appear carried by a cap;  
FIG. 2 is a front view of the lamp;  
FIG. 3 is a left side view;  
FIG. 4 is a rear view;  
FIG. 5 is a right side view;  
FIG. 6 is a top plan view thereof; and  
FIG. 7 is a bottom view.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 127,785	6/1941	Brodton	.....	D26/39
D. 176,073	11/1955	Mantell	.....	D26/39
D. 214,943	8/1969	Zapolski	.....	D26/39
D. 238,958	2/1976	Feinbloom	.....	D26/39
D. 275,523	9/1984	Ader	.....	D26/39
D. 296,719	7/1988	Lester	.....	D26/39
D. 300,868	4/1989	Conforti	.....	D26/39
D. 318,338	7/1991	Mitchell	.....	D26/39

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7