



US00D426351S

# United States Patent [19] Hampel

[11] **Patent Number: Des. 426,351**  
[45] **Date of Patent: \*\* Jun. 6, 2000**

[54] **RESIN YARD BARN**  
[76] Inventor: **Lance T. Hampel**, 5678 W. Big Portage Lake Rd., Land O'Lakes, Wis. 54540  
[\*\*] Term: **14 Years**  
[21] Appl. No.: **29/085,244**  
[22] Filed: **Mar. 19, 1998**  
[51] **LOC (7) Cl. .... 30-02**  
[52] **U.S. Cl. .... D30/108**  
[58] **Field of Search .... D30/108-109, D30/112-119; 119/447-448, 496-501, 482, 452-453**

## [56] **References Cited**

### U.S. PATENT DOCUMENTS

|            |         |               |       |         |
|------------|---------|---------------|-------|---------|
| D. 222,365 | 10/1971 | Ahrens        | ..... | D30/113 |
| D. 227,269 | 6/1973  | Sedgwick      | ..... | D30/113 |
| D. 240,051 | 5/1976  | Maybield      | ..... | D30/113 |
| D. 245,190 | 7/1977  | Higo          | ..... | D30/108 |
| D. 255,723 | 7/1980  | Anderson      | ..... | D30/108 |
| D. 267,904 | 2/1983  | Hampel et al. | ..    |         |
| D. 267,905 | 2/1983  | Keith         | ..... | D30/108 |
| D. 320,479 | 10/1991 | Cheval et al. | ..... | D30/108 |
| D. 327,143 | 6/1992  | Dockinson     | ..... | D30/108 |
| D. 343,481 | 1/1994  | Hampel        | ..... | D30/108 |
| D. 363,367 | 10/1995 | Hampel        | ..... | D30/108 |

### OTHER PUBLICATIONS

"CALF-tel comfort hutches" Brochure of Hampel Corp., P.O. Box 39, Germantown, WI 53022, dated 1992.  
EZ Hutch, Kettlersville, OH, published at: *Agribusiness*, Jun. 1995; *Farmers Hotline*, Dec./Jan. 1996.

PolyDome, 62824 250th Street, Litchfield, MN, published in Dec. 5, 1997 Capitol Press Livestock Edition.

*Primary Examiner*—Cathy Anne MacCormac  
*Attorney, Agent, or Firm*—Quarles & Brady LLP



## [57] **CLAIM**

The ornamental design for a resin yard barn, as shown and described.

## **DESCRIPTION**

FIG. 1 is a front perspective view of a resin yard barn showing my new design;  
FIG. 2 is a rear perspective view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a left side elevational view thereof, the right side elevational view being a mirror image of FIG. 4;  
FIG. 5 is a front elevational view thereof;  
FIG. 6 is a rear elevational view thereof;  
FIG. 7 is a bottom plan view thereof;  
FIG. 8 is a rear perspective view of a first embodiment of FIG. 1, the top, left and right sides, front and bottom views being the same as FIGS. 3, 4, 5 and 7;  
FIG. 9 is a rear perspective view of a second embodiment of FIG. 1, the top, left and right sides, front and bottom views being the same as FIGS. 3, 4, 5 and 7;  
FIG. 10 is a rear elevational view of FIG. 9;  
FIG. 11 is a front perspective view of a third embodiment of FIG. 1, the left and right sides being the same as FIG. 4 and the rear view thereof being the same as FIG. 6;  
FIG. 12 is a top plan view of FIG. 11;  
FIG. 13 is a front elevational view of FIG. 11; and,  
FIG. 14 is a bottom plan view of FIG. 11.

**1 Claim, 14 Drawing Sheets**






FIG. 1




FIG. 2





FIG. 3

FIG. 4






FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14