



US00D426376S

United States Patent [19]
Marshall et al.

[11] **Patent Number: Des. 426,376**
[45] **Date of Patent: ** Jun. 13, 2000**

[54] **MOISTURE ABSORBENT SOCK**

[76] Inventors: **James B. Marshall; Mariselle Marshall**, both of 137 Victoria Avenue, Remuera, Auckland, New Zealand

[**] Term: **14 Years**

[21] Appl. No.: **29/110,202**

[22] Filed: **Sep. 1, 1999**

[51] **LOC (7) Cl.** **02-04**

[52] **U.S. Cl.** **D2/980**

[58] **Field of Search** D2/980, 983, 984, D2/985, 987, 988, 990, 989, 992, 993, 994; 2/239, 240; 66/178 R, 179

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 11,262	6/1879	Hodgson	D2/989
D. 300,086	3/1989	Gaither	D2/980
D. 418,969	1/2000	Marshall	D2/980
963,878	7/1910	Diver	2/239
1,284,836	11/1918	Warner	2/239
5,035,008	7/1991	Schneider	2/239

Primary Examiner—Paula A. Mortimer
Attorney, Agent, or Firm—Jack V. Musgrove; Felsman, Bradley, Vaden Gunter & Dillon, LLP

[57] **CLAIM**

The ornamental design for a moisture absorbent sock, as shown and described.



DESCRIPTION

FIG. 1 is a perspective view of the moisture absorbent sock of the present invention shown with the sock pulled up a leg; FIG. 2 is a right side elevational view of the moisture absorbent sock of the present invention shown with the sock pulled up a leg; FIG. 3 is a front elevational view of the moisture absorbent sock of the present invention shown with the sock pulled up a leg; FIG. 4 is a top plan view of the moisture absorbent sock of the present invention shown with the sock draping down a leg; FIG. 5 is a rear elevational view of the moisture absorbent sock of the present invention shown with the sock pulled up a leg; FIG. 6 is a left side elevational view of the moisture absorbent sock of the present invention shown with the sock pulled up a leg; FIG. 7 is a bottom view of the moisture absorbent sock of the present invention shown with the sock draping down a leg; and, FIG. 8 is a right side elevational view of the moisture absorbent sock of the present invention shown with the sock draping down a leg and a shoe covering the foot portion of the sock.

The moisture absorbent sock depicted in the present application intersperses wicking regions among fabric folds to increase the effective surface area of the leg portion of the sock.

The broken line showing of the human form in FIGS. 1, 2, 3, 5, 6 and 8 and the boot in FIG. 8 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






Fig. 3




Fig. 2




Fig. 1




Fig. 4




Fig. 7




Fig. 8




Fig. 6




Fig. 5