



US00D426500S

United States Patent [19]

Picard et al.

[11] Patent Number: **Des. 426,500**

[45] Date of Patent: **** Jun. 13, 2000**

[54] TREAD OF A TIRE

[75] Inventors: **Maurice Picard**, Cebazat; **Florian Trulle**, Durtol, both of France

[73] Assignee: **Michelin Recherche et Technique S.A.**, Granges-Paccot, Switzerland

[**] Term: **14 Years**

[21] Appl. No.: **29/104,078**

[22] Filed: **Apr. 28, 1999**

[30] **Foreign Application Priority Data**

Nov. 2, 1998 [FR] France 98 6363

[51] **LOC (7) Cl.** **12-15**

[52] **U.S. Cl.** **D12/147**

[58] **Field of Search** D12/136-152;
152/209.1, 209.8, 209.9, 209.11, 209.13,
209.28, 900, 902, 903

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 328,268 7/1992 Constant .
- D. 370,443 6/1996 Lassan et al. .
- D. 379,166 5/1997 Aikawa et al. .
- D. 405,401 2/1999 Ikeda D12/147

FOREIGN PATENT DOCUMENTS

- 899840 3/1994 Japan .
- 904557 5/1994 Japan .

OTHER PUBLICATIONS

Tire Design Guide—1998, Passenger Tires, p. 19, Continental Conti Sport Cotact CZ90/CV90/CH90 (ZR/VR/HR Rated) B-TL-NB-SB-RP-35-40-45-50-55-M-RD.

Tire Design Guide—1998, Passenger Tires, p. 47, Maxxis MA-703 (SR Rated) B-TL-P-SB-RP-80-M-RD.

Tire Design Guide—1998, Small Highway & Light Truck Tires, p. 96, Goodyear, Wrangler AP, OWL-RBL-TL-P-S-B-RP-AS.

Kelly-Springfield Explorer Tire, 1998 Tread Design Guide, P. 41. 3/3, Jan. 1998.

Primary Examiner—Robert M. Spear
Attorney, Agent, or Firm—Baker Botts L.L.P.

[57] **CLAIM**

The ornamental design for a tread of a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the tread of a tire of the present invention, it being understood that the pattern is repeated uniformly throughout the circumference of the tread,


FIG. 2 is an elevational view of the tread of the tire shown in FIG. 1; and,

FIG. 3 is a side view of the tread of the tire, the opposite side elevational view being identical thereto.

The broken line showing of a tire inner bead and sidewall is for illustrative purposes only and forms no part of the claimed design.

In the drawings, the dark stippled surface shading represents the recessed portion of the tread grooves, having a depth as best shown in FIG. 2.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3