



US00D426572S

# United States Patent [19]

Salemme et al.

[11] Patent Number: **Des. 426,572**

[45] Date of Patent: **\*\* Jun. 13, 2000**

[54] **WRITING INSTRUMENT**

[75] Inventors: **James L. Salemme**, Billerica, Mass.;  
**Paul Clark**, Bristol, Conn.; **Chris Hageman**, Moodus, Conn.; **Robert Marvin**, Farmington, Conn.

[73] Assignee: **The Gillette Company**, Boston, Mass.

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/109,251**

[22] Filed: **Aug. 12, 1999**

[51] **LOC (7) Cl.** ..... **19-06**

[52] **U.S. Cl.** ..... **D19/47; D19/50; D19/51; D19/57**

[58] **Field of Search** ..... D19/35, 36, 41-49,  
D19/50, 51, 53-58, 81-85; 401/88, 6, 7,  
209, 202, 262, 243-247

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 158,973	6/1950	Kahn	.....	D19/48
D. 178,033	6/1956	Young et al.	.....	D19/48
D. 258,596	3/1981	Massoni et al.	.....	D19/49
D. 282,378	1/1986	Ohyabu et al.	.....	D19/43
D. 303,990	10/1989	Petterson	.....	D19/48
D. 319,845	9/1991	Grötsch et al.	.....	D19/48
D. 320,618	10/1991	Grötsch	.....	D19/48
D. 324,070	2/1992	Suzuki	.....	D19/51
D. 338,038	8/1993	Oka et al.	.....	D19/48
D. 339,822	9/1993	Möck et al.	.....	D19/48
D. 345,577	3/1994	Höbner	.....	D19/48
D. 364,186	11/1995	Kuo	.....	D19/48
D. 364,892	12/1995	Lin	.....	D19/49
D. 368,738	4/1996	Osada et al.	.....	D19/51

D. 384,105	9/1997	Robert et al.	.....	D19/57
D. 390,601	2/1998	Irby	.....	D19/49
D. 395,447	6/1998	Izushima	.....	D19/49
D. 395,674	6/1998	Boix Gacia	.....	D19/51
D. 401,275	11/1998	Otake	.....	D19/43
D. 404,428	1/1999	Takahashi	.....	D19/49
D. 406,604	3/1999	Andrews et al.	.....	D19/48
D. 413,145	8/1999	Brescia et al.	.....	D19/51

*Primary Examiner*—Martie K. Holtje  
*Attorney, Agent, or Firm*—Chester Cekala

[57] **CLAIM**

The ornamental design for a writing instrument, as shown and described.

**DESCRIPTION**

FIG. 1 is perspective view as seen from the top, front and right side of a writing instrument showing our new design with the cap covering the writing point;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof where the left side view is a mirror image;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top elevational view thereof;

FIG. 6 is a bottom elevational view thereof;

FIG. 7 is a perspective view as seen from the top, front and right side of said writing instrument with the writing point exposed and the cap repositioned over the bottom of the barrel;

FIG. 8 is a front elevational view thereof;


FIG. 9 is a right side elevational view thereof where the left side view is a mirror image;

FIG. 10 is a rear elevational view thereof;


FIG. 11 is a top elevational view thereof; and,

FIG. 12 is a bottom elevational view thereof.


**1 Claim, 6 Drawing Sheets**




**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**




**FIG. 5**




**FIG. 6**




**FIG. 7**




**FIG. 8**




**FIG. 9**



**FIG. 10**



***FIG. 11***



***FIG. 12***

