



US00D426660S

United States Patent [19]

Yamamoto et al.

[11] **Patent Number:** **Des. 426,660**
[45] **Date of Patent:** **** Jun. 13, 2000**

[54] **COMBINED FLASHLIGHT, CLOCK AND RADIO RECEIVER**

[75] Inventors: **Yukihiro Yamamoto; Setsuo Otaka,**
both of Kosai, Japan

[73] Assignee: **FDK Corporation,** Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/110,624**

[22] Filed: **Sep. 9, 1999**

[30] **Foreign Application Priority Data**

Mar. 19, 1999 [JP] Japan 11-6826

[51] **LOC (7) Cl.** **26-02**

[52] **U.S. Cl.** **D26/38**

[58] **Field of Search** D26/37-50; 362/157,
362/158, 183-208

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 381,100 7/1997 Fink D26/38

D. 382,876 8/1997 Yuen D26/38
D. 383,071 9/1997 Suzuki D26/38
D. 385,983 11/1997 Wan D26/38

Primary Examiner—Marcus A. Jackson
Attorney, Agent, or Firm—Arter & Hadden LLP; Steven C. Sereboff

[57] **CLAIM**

The ornamental design for a combined flashlight, clock and radio receiver as shown.

DESCRIPTION

FIG. 1 is a top perspective view of a combined flashlight, clock and radio receiver showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a rear elevational view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

