US00D426796S

United States Patent [19]

Oliver et al.

[11] **Patent Number: Des. 426,796**

[45] **Date of Patent: ** Jun. 20, 2000**

[54] **TIRE TREAD**

[75] Inventors: **Jane Kathleen Oliver**, Pelzer; **Ellen MacDonald Williams**, Greer, both of S.C.

[73] Assignee: **Michelin Recherche et Technique S.A.**, Switzerland

[**] Term: **14 Years**

[21] Appl. No.: **29/108,863**

[22] Filed: **Aug. 4, 1999**

[51] **LOC (7) Cl.** **12-15**

[52] **U.S. Cl.** **D12/146**

[58] **Field of Search** D12/134–152; 152/209.1, 209.8, 209.9, 209.11, 209.13, 209.16, 209.28, 900, 901

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 306,844	3/1990	Wallet	D12/146
D. 324,011	2/1992	Messer	D12/147
D. 324,012	2/1992	Janczak	D12/147
D. 339,559	9/1993	Guspodin et al.	D12/147
D. 345,951	4/1994	Guspodin et al.	D12/147
D. 367,025	2/1996	Faulk et al.	D12/141
D. 381,944	8/1997	Regallis et al.	D12/147
D. 391,208	2/1998	Guspodin et al.	D12/147
D. 400,139	10/1998	Koenigstein et al.	D12/147

OTHER PUBLICATIONS

General Ameri*G4S Tire, 1998 Tread Design Guide, p. 31. 3/4.

Peerless Sprint Touring Tire, 1998 Tread Design Guide, p. 58. 1/3.

Road King Grenadier LTE Tire, 1998 Tread Design Guide, p. 63. 2/3.

Road King Widetrack Radial A/S Tire, 1998 Tread Design Guide, p. 114. 2/5.

Tread Design Guide, 1996, p. 36, Hankook Optitour 826.

Tread Design Guide, 1996, p. 49, Michelin XGT 4.

Tread Design Guide, 1996, p. 75, Uniroyal Tiger Paw GTS Rallye.

Tread Design Guide, 1999, p. 17, Brigadier Ultra Tech GTH+4.

Tread Design Guide, 1999, p. 47, Medalist Defender SRX+ 4.

Tread Design Guide, 1999, p. 51, Mohawk Montega A/S.

Tread Design Guide, 1999, p. 73, Treadtech Solo Tech.

Primary Examiner—Robert M. Spear

Attorney, Agent, or Firm—Alan A. Csontos; Robert A. Reed

[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a tire tread showing my new design, it being understood that the tread pattern repeats uniformly throughout the outer surface and shoulder circumference the tire tread, the opposite side perspective view being identical thereto; and,

FIG. **2** is an enlarged fragmentary front elevation view of the tire tread thereof.

The broken line disclosure of the tire sidewall and inner bead is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets





Fig. 1



Fig. 2