



US00D427139S

United States Patent [19]

[11] Patent Number: Des. 427,139

Noval

[45] Date of Patent: ** Jun. 27, 2000

[54] AUTOMOBILE SEAT TRAY

[57] CLAIM

[76] Inventor: Charles Noval, 137 Reed Blvd., Mill Valley, Calif. 94941

The ornamental design for an automobile seat tray, as shown and described.

[**] Term: 14 Years

DESCRIPTION

[21] Appl. No.: 29/094,879

FIG. 1 is a top, right perspective view of an automobile seat tray in accordance with a first preferred embodiment of the present invention, showing an automobile seat in phantom lines;

[22] Filed: Oct. 13, 1998

FIG. 2 is a top plan view of the automobile seat tray of FIG. 1;

[51] LOC (7) Cl. 12-16

[52] U.S. Cl. D12/419

[58] Field of Search D12/415, 419, D12/425, 426.1; 248/311.1, 311.2; 296/37.1-37.8, 37.13-37.16; 224/42.11, 42.24, 42.25, 275, 400, 277; D7/553.3-553.5, 619-620, 701, 708; 108/43-46, 132, 147, 157

FIG. 3 is a bottom plan view of the automobile seat tray of FIG. 1;

FIG. 4 is a right elevational view of the automobile seat tray of FIG. 1;

FIG. 5 is a left elevational view of the automobile seat tray of FIG. 1;

[56] References Cited

U.S. PATENT DOCUMENTS

D. 224,673	8/1972	Brooks	D12/419
D. 250,065	10/1978	Monopoli	D12/419
D. 268,072	3/1983	Boggs	D12/419
D. 272,486	2/1984	Benedetti	D12/419
D. 323,932	2/1992	Hudgens	D12/419
D. 328,669	8/1992	Sletvold	D12/419
D. 342,170	12/1993	Palmer	D12/419
D. 360,869	8/1995	Brackett	D12/423
D. 362,837	10/1995	Mankey et al.	D12/419
D. 367,035	2/1996	Wells	D12/419
D. 371,538	7/1996	Ferrigan	D12/419
D. 375,931	11/1996	Ferrigan	D12/419
D. 399,482	10/1998	Guichard	D12/419
2,904,378	9/1959	Maciver	D12/419 X
3,244,125	4/1966	Mackey	108/45 X
3,326,446	6/1967	Goings	.	
3,420,382	1/1969	McClendon	.	
4,765,583	8/1988	Tenner	.	
4,832,241	5/1989	Radcliffe	.	
5,102,080	4/1992	Altieri, Jr.	.	
5,551,616	9/1996	Stitt et al.	.	

FIG. 6 is a rear elevational view of the automobile seat tray of FIG. 1, the front elevational view being a mirror image thereof;

FIG. 7 is a top plan view of an automobile seat tray in accordance with a second preferred embodiment of the present invention, the right and left elevational views being identical to FIGS. 4 and 5, respectively;

FIG. 8 is a bottom plan view of the automobile seat tray of FIG. 7;

FIG. 9 is a rear elevational view of the automobile seat tray of FIG. 7, the front elevational view being a mirror image thereof;

FIG. 10 is a top plan view of an automobile seat tray in accordance with a third preferred embodiment of the present invention, the left and right elevations views being identical to FIGS. 4 and 5, respectively;


FIG. 11 is a bottom plan view of the automobile seat tray of FIG. 10; and,

FIG. 12 is a rear elevational view of the automobile seat tray of FIG. 10, the front elevational view being a mirror image thereof.

The broken line showing of environment is for illustrative purposes only and forms no part of the claimed design.

Primary Examiner—Stacia Cadmus
Attorney, Agent, or Firm—Knobbe, Martens, Olson & Bear, LLP

1 Claim, 11 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7





FIG. 8

FIG. 9






FIG. 10




FIG. 11

FIG. 12

