



US00D427142S

United States Patent [19]
Luh et al.

[11] **Patent Number:** **Des. 427,142**
[45] **Date of Patent:** **** Jun. 27, 2000**

[54] **BATTERY**

[75] Inventors: **Michael Hung-Tai Luh**, Cincinnati, Ohio; **Michael Edward Butler**, Wimbledon, United Kingdom

[73] Assignee: **The Procter & Gamble Company**, Cincinnati, Ohio

[**] Term: **14 Years**

[21] Appl. No.: **29/106,730**

[22] Filed: **Jun. 21, 1999**

[51] **LOC (7) Cl.** **13-02**

[52] **U.S. Cl.** **D13/103**

[58] **Field of Search** D13/103, 119;
429/96–100, 159, 163, 174

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 291,798	9/1987	Curiel		D13/103	X
D. 376,579	12/1996	Bunyea et al.		D13/103	
D. 392,249	3/1998	Nakazawa et al.		D13/103	
4,563,727	1/1986	Curiel		429/100	X
4,737,420	4/1988	Ikeda et al.		429/99	X

5,516,306 5/1996 Scivano 429/96 X
5,796,588 8/1998 Machida et al. 429/100 X

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Vanessa M. Nichols; Leonard W. Lewis


[57] **CLAIM**

The ornamental design for a battery, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a battery, embodying our new design;
FIG. 2 is a top view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is front view thereof;
FIG. 5 is a side elevational view thereof;
FIG. 6 is a back view thereof;
FIG. 7 is a perspective view of an alternative embodiment of our battery;
FIG. 8 is a top view thereof;
FIG. 9 is a bottom view thereof;
FIG. 10 is front view thereof;
FIG. 11 is a side elevational view thereof; and,
FIG. 12 is a back view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12