



US00D427145S

United States Patent [19] Singh et al.

[11] **Patent Number: Des. 427,145**
[45] **Date of Patent: ** Jun. 27, 2000**

[54] **BATTERY CHARGER/ANALYZER DESIGN**

4,336,121 6/1982 Enzer et al. 324/425 X
4,746,854 5/1988 Baker et al. 320/40
5,426,371 6/1995 Salley et al. 324/429
5,644,239 7/1997 Huang et al. 324/439

[75] Inventors: **Harmohan Singh**, Rockaway; **Michael G. Biemer**, Lincoln Park; **Stephen T. Maio**, Mendham, all of N.J.

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Loria B. Yeadon

[73] Assignee: **AlliedSignal Inc.**, Morristown, N.J.

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/110,740**

The ornamental design for battery charger/analyzer design, as shown and described.

[22] Filed: **Sep. 10, 1999**

DESCRIPTION

[51] **LOC (7) Cl.** **13-02**

FIG. 1 is a front, left side, isometric view of a battery charger/analyzer design showing our new design; FIG. 2 is a rear, left side, isometric view thereof; FIG. 3 is a right side view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a front view thereof; FIG. 6 is a rear view thereof; FIG. 7 is a top view thereof; and, FIG. 8 is a bottom view thereof.

[52] **U.S. Cl.** **D13/107**


[58] **Field of Search** D13/107, 108,
D13/118; D10/77; D14/251, 253; 320/110-115;
324/425-450

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 299,910 2/1989 Doman et al. D10/77 X
4,303,887 12/1981 Hill et al. 324/441

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8