

US00D427160S

United States Patent [19]

Feierbach

[56]

[11] Patent Number: Des. 427,160

[45] Date of Patent: ** Jun. 27, 2000

[54]	DESKTOP COMPUTER WORKSTATION			
[76]	Inventor:	Wolfgang R. Feierbach, Industriestrasse 6, D-63674 Altenstadt/Hessen, Germany		
[**]	Term:	14 Years		
[21]	Appl. No.	29/098,057		
[22]	Filed:	Dec. 21, 1998		
[30]	Foreign Application Priority Data			
Jul. 17, 1998 [DE] Germany 4 98 07 183				
[51]	LOC (7)	Cl		
[52]	U.S. Cl.	D14/100		
[58]	Field of S	earch		
		D14/106, 115, 126–129; 345/104, 156,		

References Cited

U.S. PATENT DOCUMENTS

168, 169, 173; 361/680–686; 364/708.1;

400/486, 489

D. 272,445	1/1984	Ohie
D. 349,694	8/1994	Takimoto
D. 352,500	11/1994	Hackleman
D. 361,550	8/1995	Mundt et al D14/100
D. 366,649	1/1996	Soderburg
D. 372,900	8/1996	Nakada et al
5,548,478	8/1996	Kumar .

OTHER PUBLICATIONS

"CE Pro Portables: Bigger Than a PDA, Smaller Than a Notebook", PC World, Jan. 1999, pp. 54, 58.

Primary Examiner—Freda Nunn Attorney, Agent, or Firm—Knobbe Martens Olson & Bear LLP

[57] CLAIM


The ornamental design for a desktop computer workstation, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a desktop computer

workstation in accordance with a first preferred embodiment of the present invention, showing a monitor screen in an open position;

- FIG. 2 is a right side elevational view of the computer workstation of FIG. 1, with the monitor screen in an open and rearward position, the left side elevational view being a mirror image thereof;
- FIG. 3 is a right side elevational view of the computer workstation of FIG. 1, with the monitor screen in an open and intermediate position, the left side elevational view being a mirror image thereof;
- FIG. 4 is a right side elevational view of the computer workstation of FIG. 1, with the monitor screen in an open and forward position, the left side elevational view being a mirror image thereof;
- FIG. 5 is a right side elevational view of the computer workstation of FIG. 1, with the monitor screen in a closed position, the left side elevational view being a mirror image thereof;
- FIG. 6 is a rear elevational view of the computer workstation of FIG. 1;
- FIG. 7 is a top plan view of the computer workstation of FIG. 1;
- FIG. 8 is a bottom plan view of the computer workstation of FIG. 1;
- FIG. 9 is a front elevational view of a computer workstation in accordance with a second preferred embodiment of the present invention, showing a monitor screen in an open position;
- FIG. 10 is a right side elevational view of the computer workstation of FIG. 9, with the monitor screen in an open and rearward position, the left side elevational view being a mirror image thereof;
- FIG. 11 is a right side elevational view of the computer workstation of FIG. 9, with the monitor screen in an open and intermediate position, the left side elevational view being a mirror image thereof;
- FIG. 12 is a right side elevational view of the computer workstation of FIG. 9, with the monitor screen in an open and forward position, the left side elevational view being a mirror image thereof;
- FIG. 13 is a right side elevational view of the computer workstation of FIG. 9, with the monitor screen in a closed position, the left side elevational view being a mirror image thereof;



- FIG. 14 is a rear elevational view of the computer workstation of FIG. 9;
- FIG. 15 is a top plan view of the computer workstation of FIG. 9;
- FIG. 16 is a bottom plan view of the computer workstation of FIG. 9;
- FIG. 17 is a front elevational view of a computer workstation in accordance with a preferred embodiment of the present invention, showing a monitor screen in an open position;
- FIG. 18 is a right side elevational view of the computer workstation of FIG. 17, with the monitor screen in an open and rearward position, the left side elevational view being a mirror image thereof;
- FIG. 19 is a right side elevational view of the computer workstation of FIG. 17, with the monitor screen in an open and intermediate position, the left side elevational view being a mirror image thereof;
- FIG. 20 is a right side elevational view of the computer workstation of FIG. 17, with the monitor screen in an open and forward position, the left side elevational view being a mirror image thereof;
- FIG. 21 is a right side elevational view of the computer workstation of FIG. 17, with the monitor screen in a closed position, the left side elevational view being a mirror image thereof;
- FIG. 22 is a rear elevational view of the computer workstation of FIG. 17;
- FIG. 23 is a top plan view of the computer workstation of FIG. 17;
- FIG. 24 is a bottom plan view of the computer workstation of FIG. 17;
- FIG. 25 is a front elevational view of a computer workstation in accordance with a fourth preferred embodiment of the present invention, showing a monitor screen in an open position;
- FIG. 26 is a right side elevational view of the computer workstation of FIG. 25, with the monitor screen in an open and rearward position, the left side elevational view being a mirror image thereof;
- FIG. 27 is a right side elevational view of the computer workstation of FIG. 25, with the monitor screen in an open and intermediate position, the left side elevational view being a mirror image thereof;
- FIG. 28 is a right side elevational view of the computer workstation of FIG. 25, with the monitor screen in an open and forward position, the left side elevational view being a mirror image thereof;
- FIG. 29 is a right side elevational view of the computer workstation of FIG. 25, with the monitor screen in a closed position, the left side elevational view being a mirror image thereof;
- FIG. 30 is a rear elevational view of the computer workstation of FIG. 25;
- FIG. 31 is a top plan view of the computer workstation of FIG. 25;
- FIG. 32 is a bottom plan view of the computer workstation of FIG. 25;
- FIG. 33 is a front elevational view of a computer workstation in accordance with a fifth preferred embodiment of the present invention, showing a monitor screen in an open position;

- FIG. 34 is a right side elevational view of the computer workstation of FIG. 33, with the monitor screen in an open and rearward position, the left side elevational view being a mirror image thereof;
- FIG. 35 is a right side elevational view of the computer workstation of FIG. 33, with the monitor screen in an open and intermediate position, the left side elevational view being a mirror image thereof;
- FIG. 36 is a right side elevational view of the computer workstation of FIG. 33, with the monitor screen in an open and forward position, the left side elevational view being a mirror image thereof;
- FIG. 37 is a right side elevational view of the computer workstation of FIG. 33, with the monitor screen in a closed position, the left side elevational view being a mirror image thereof;
- FIG. 38 is a rear elevational view of the computer workstation of FIG. 33;
- FIG. 39 is a top plan view of the computer workstation of FIG. 33;
- FIG. 40 is a bottom plan view of the computer workstation of FIG. 33;
- FIG. 41 is a front elevational view of a computer workstation in accordance with a sixth preferred embodiment of the present invention, showing a monitor screen in an open position;
- FIG. 42 is a right side elevational view of the computer workstation of FIG. 41, with the monitor screen in an open and rearward position, the left side elevational view being a mirror image thereof;
- FIG. 43 is a right side elevational view of the computer workstation of FIG. 41, with the monitor screen in an open and intermediate position, the left side elevational view being a mirror image thereof;
- FIG. 44 is a right side elevational view of the computer workstation of FIG. 41, with the monitor screen in an open and forward position, the left side elevational view being a mirror image thereof;
- FIG. 45 is a right side elevational view of the computer workstation of FIG. 41, with the monitor screen in a closed position, the left side elevational view being a mirror image thereof;
- FIG. 46 is a rear elevational view of the computer workstation of FIG. 41;
- FIG. 47 is a top plan view of the computer workstation of FIG. 41;
- FIG. 48 is a bottom plan view of the computer workstation of FIG. 41;
- FIG. 49 is a front elevational view of a computer workstation in accordance with a seventh preferred embodiment of the present invention, showing a monitor screen in an open position;
- FIG. 50 is a right side elevational view of the computer workstation of FIG. 49, with the monitor screen in an open and rearward position;
- FIG. 51 is a right side elevational view of the computer workstation of FIG. 49, with the monitor screen in an open and intermediate position, the left side elevational view being a mirror image thereof;
- FIG. 52 is a right side elevational view of the computer workstation of FIG. 49, with the monitor screen in an open and forward position, the left side elevational view being a mirror image thereof;

FIG. 53 is a right side elevational view of the computer workstation of FIG. 49, with the monitor screen in a closed position, the left side elevational view being a mirror image thereof;

FIG. 54 is a rear elevational view of the computer workstation of FIG. 49;


FIG. 55 is a top plan view of the computer workstation of FIG. 49;


FIG. 56 is a bottom plan view of the computer workstation of FIG. 49; and,


FIG. 57 is a left side elevational view of the computer workstation of FIG. 49.


1 Claim, 7 Drawing Sheets


Jun. 27, 2000











Des. 427,160

