



US00D427164S

United States Patent [19]
Slowinski et al.

[11] **Patent Number: Des. 427,164**
[45] **Date of Patent: ** Jun. 27, 2000**

[54] **COMPUTER INPUT DEVICE**

[76] Inventors: **Christopher Slowinski**, 19 Westwoods Rd., Lake Success, N.Y. 11020; **Ernie Isaac Schindler**, 305 E. 86th St., New York, N.Y. 10028

[**] Term: **14 Years**

[21] Appl. No.: **29/102,543**

[22] Filed: **Mar. 26, 1999**

[51] **LOC (7) Cl.** **14-02**

[52] **U.S. Cl.** **D14/114**

[58] **Field of Search** D14/114; D13/158;
D21/324-33; 200/5 R, 5 A, 6 R, 6 A; 273/148 B;
345/156-67; 74/471 XY; 463/36-9

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 283,818	5/1986	Skaggs	D14/114
D. 305,649	1/1990	Lin	D14/114
D. 305,650	1/1990	Lin	D14/114
D. 307,137	4/1990	Alfonso	D14/114
D. 363,712	10/1995	Yamada	D14/114
D. 377,487	1/1997	Shih	D14/114

Primary Examiner—M. H. Tung
Attorney, Agent, or Firm—Ostrolenk, Faber, Gerb & Soffen, LLP


[57] **CLAIM**

The ornamental design for a computer input device, as shown and described.

DESCRIPTION

FIG. 1 is a top view of a computer input device of the present invention;
FIG. 2 is a bottom view thereof;
FIG. 3 is a side view thereof, the opposite side is a mirror image;
FIG. 4 is a front view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a top perspective view thereof;
FIG. 7 is a top view of a second embodiment thereof;
FIG. 8 is a cross-sectional view thereof, taken along 8—8 of FIG. 7;
FIG. 9 is a top view of a third embodiment thereof; and,
FIG. 10 is a top view of a fourth embodiment thereof.
The texture in FIGS. 7 and 8 represent a lustrous surface.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6





FIG. 7



FIG. 8




FIG. 9




FIG. 10