



US00D427233S

United States Patent [19] Faber

[11] **Patent Number: Des. 427,233**

[45] **Date of Patent: ** Jun. 27, 2000**

[54] **COMBINED STAMP AND INK PAD**

[75] Inventor: **Ernst Faber**, Wels, Austria

[73] Assignee: **COLOP Stempelerzeugung Skoper GmbH & Co. K.G.**, Austria

[**] Term: **14 Years**

[21] Appl. No.: **29/107,245**

[22] Filed: **Jun. 30, 1999**

[30] **Foreign Application Priority Data**

Dec. 30, 1998 [AT] Austria MU 5461/98

[51] **LOC (7) Cl.** **19-03**

[52] **U.S. Cl.** **D18/15**

[58] **Field of Search** D18/14-18; 101/327,
101/333, 334, 371, 405, 379

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 280,911 10/1985 Rhoades D18/15
- D. 304,732 11/1989 Hines D18/15
- D. 323,527 1/1992 Weir et al. D18/15
- D. 384,096 9/1997 Harden D18/15
- D. 391,983 3/1998 Yamaguchi D18/15

- D. 412,181 7/1999 Harden D18/14
- D. 417,232 11/1999 Harden D18/14
- 4,432,281 2/1984 Wall et al. .
- 5,855,170 1/1999 Shih 101/327

FOREIGN PATENT DOCUMENTS

001 129 U1 11/1999 Austria .

Primary Examiner—Louis S. Zarfes
Attorney, Agent, or Firm—Baker Botts L.L.P.


[57] **CLAIM**

The ornamental design for a combined stamp and ink pad, as shown and described.

DESCRIPTION

FIG. 1 is a three-quarter front pictorial view of an embodiment of a combined stamp and ink pad according to the new design;
FIG. 2 is a front elevational view of the embodiment;
FIG. 3 is a rear elevational view of the embodiment;
FIG. 4 is a left side elevational view of the embodiment;
FIG. 5 is a right side elevational view of the embodiment;
FIG. 6 is a top plan view of the embodiment; and,
FIG. 7 is a bottom plan view of the embodiment.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG. 6




FIG. 7