

#### US00D427346S

Patent Number:

[11]

[45]

Des. 427,346

# United States Patent [19]

### Schoen

[57]

as shown and described.

#### FLASHLIGHT WITH ROTATABLE HEAD Inventor: Klaus Schoen, Esslingen, Germany Assignee: S-B Power Tool Company, Chicago, [73] Ill. 14 Years Term: Appl. No.: 29/109,522 Filed: **Aug. 13, 1999** [51] U.S. Cl. D26/45 [52] [58] 362/158, 183–208 **References Cited** [56] U.S. PATENT DOCUMENTS D. 405,552 Primary Examiner—Marcus A. Jackson Attorney, Agent, or Firm—Greer, Burns & Crain, Ltd.

**CLAIM** 

The ornamental design for a flashlight with a rotatable head,

## DESCRIPTION

Date of Patent: \*\* Jun. 27, 2000

FIG. 1 is a perspective view of the present new design of a flashlight with a rotatable head, shown with the head rotated into a first position in which the body forms a generally L-shaped configuration;

FIG. 2 is a front elevational view of the present flashlight of FIG. 1;

FIG. 3 is a rear elevational view of same;

FIG. 4 is a left side view of the present flashlight;

FIG. 5 is left side view of the present flashlight shown with the head rotated into a second position;

FIG. 6 is a right side view of the present flashlight shown with the head rotated into the first position;


FIG. 7 is a right side view of the present flashlight shown with the head rotated into the second position;

FIG. 8 is a top plan view of the present flashlight shown with the head in the first position; and,

FIG. 9 is a bottom plan view of the same.

It should be noted that the broken lines showing the screws and the screw holes, the switch on the rear face of the flashlight, and the attachment means on and near the bottom are for illustrative purposes only and form no part of the claimed design.

#### 1 Claim, 9 Drawing Sheets



Jun. 27, 2000




FIG. 1




FIG. 2






FIG. 3




FIG. 4




FIG. 5

Des. 427,346




FIG. 6




FIG. 7

Des. 427,346




FIG. 8

Des. 427,346




FIG. 9