



US00D427503S

United States Patent [19]

Brockman et al.

[11] Patent Number: **Des. 427,503**

[45] Date of Patent: **** Jul. 4, 2000**

[54] **COMBINATION LOCK**

[75] Inventors: **Daryl C. Brockman**, Wauwatosa;
Jason M. Joers, Muskego; **Terrence K. Mahon**, Whitefish Bay, all of Wis.

[73] Assignee: **Master Lock Company**, Milwaukee, Wis.

[**] Term: **14 Years**

[21] Appl. No.: **29/102,800**

[22] Filed: **Mar. 31, 1999**

[51] **LOC (7) Cl.** **08-07**

[52] **U.S. Cl.** **D8/334**

[58] **Field of Search** D8/333, 334, 335;
70/14, 20, 21, 22, 23, 24, 25, 26, 27, 28,
29, 30

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 394,197 5/1998 Zeller D8/333

D. 401,836 12/1998 Chuang D8/334
D. 407,625 4/1999 Yang D8/334
D. 410,191 5/1999 Yang D8/335
5,832,752 11/1998 Zeller 70/30

Primary Examiner—Susan J. Lucas
Assistant Examiner—Jennifer Rivard
Attorney, Agent, or Firm—Pennie & Edmonds LLP

[57] **CLAIM**

The ornamental design for a combination lock, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the combination lock;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a left end view thereof; and,
FIG. 8 is a right end view thereof.

1 Claim, 3 Drawing Sheets




FIG. 1





FIG. 2






FIG. 3




FIG. 4

FIG. 5




FIG. 6





FIG. 7




FIG. 8