



US00D427547S

United States Patent [19] Yoshiguchi

[11] **Patent Number: Des. 427,547**
[45] **Date of Patent: ** Jul. 4, 2000**

[54] **BUCKLE**

[75] Inventor: **Manabu Yoshiguchi**, Yokohama, Japan

[73] Assignee: **Nifco Inc.**, Yokohama, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/106,307**

[22] Filed: **Jun. 15, 1999**

[30] **Foreign Application Priority Data**

Dec. 21, 1998 [JP] Japan 10-36526

[51] **LOC (7) Cl.** **02-07**

[52] **U.S. Cl.** **D11/218**

[58] **Field of Search** D11/200, 201,
D11/215, 216, 218, 219; 24/305, 307, 625,
169, 196, 171, 74

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 347,601 6/1994 Anshen D11/218

D. 352,254 11/1994 Prosser D11/218
D. 364,833 12/1995 Matuba D11/218
5,651,166 7/1997 Fabrizio 24/200

Primary Examiner—Ralf Seifert
Attorney, Agent, or Firm—Kanesaka & Takeuchi


[57] **CLAIM**

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a buckle showing my new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side view thereof, the right side view being symmetrical to the left side view;
FIG. 6 is a cross sectional view taken along lines 6—6 in FIG. 1; and,
FIG. 7 is a perspective view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7