



US00D427638S

United States Patent [19]
Collins et al.

[11] **Patent Number: Des. 427,638**
[45] **Date of Patent: ** Jul. 4, 2000**

[54] **HAND SIGNAL**

OTHER PUBLICATIONS

[76] Inventors: **Jan Collins**, 1232 Northlake,
Richardson, Tex. 75080; **Karen
Whitson**, 7406 Courtside Dr., Garland,
Tex. 75044

U.S. Toy Inc. Mar. 18, 1993.

Primary Examiner—Marcus A. Jackson

[**] Term: **14 Years**

[57] **CLAIM**

The ornamental design for hand signal, as shown and described.

[21] Appl. No.: **29/062,286**

DESCRIPTION

[22] Filed: **Nov. 13, 1996**

[51] **LOC (7) Cl.** **19-08**

[52] **U.S. Cl.** **D20/10**

[58] **Field of Search** D20/10, 39, 40,
D20/41, 42, 99; 40/1, 584, 617, 618, 624,
124, 124.1; D10/109, 121; D11/70


FIG. 1 is a perspective view showing the top, front, and right of the hand signal showing our new design;
FIG. 2 is a top and bottom plan view thereof;
FIG. 3 is a right and left side elevational view;
FIG. 4 is a bottom elevational view;
FIG. 5 is a top elevational view; and,
FIG. 6 is a front elevational view showing the device in use, with the broken line showing for illustrative purposes only and forming no part of the claimed design;

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 361,600 8/1995 Bradley D20/10
- D. 393,345 4/1998 Clegg et al. D11/70

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5




Fig. 6