



US00D427862S

United States Patent [19]

Yamane et al.

[11] Patent Number: **Des. 427,862**

[45] Date of Patent: **** Jul. 11, 2000**

[54] REAPER MACHINE

[76] Inventors: **Yoshiro Yamane**, 7-12-20, Takaoka, Okubo-cho, Akashi-shi, Hyogo-prefecture; **Kazuhiko Takemoto**, 337 Yoro, Heiso-cho; **Tadao Yashirodai**, 457, Nomura, Yahata-cho, both of Kakogawa-shi, Hyogo-prefecture, all of Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/112,245**

[22] Filed: **Oct. 11, 1999**

[30] **Foreign Application Priority Data**

Apr. 21, 1999 [JP] Japan 11-10635

[51] **LOC (7) Cl.** **08-01**

[52] **U.S. Cl.** **D8/8**

[58] **Field of Search** D8/1, 6-8; 56/12.7; 30/276, 228

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 355,818 2/1995 Nakadachi D8/8
- D. 360,341 7/1995 Hirooka et al. D8/8

- D. 398,817 9/1998 Meisner et al. D8/8
- 5,394,612 3/1995 Wolfington 30/276
- 5,887,349 3/1999 Walden 30/276

OTHER PUBLICATIONS

Japanese Provisional Publication No. 07164351 Dated Jun. 27, 1995 for Application No. 06247897 Filed Oct. 13, 1994 Entitled "Continuous Strike Working Machine" for Yamada Juki:KK (Inventor Yamada Sakuji) Patent Abstracts of Japan (in Japanese and Abstract in English).

Primary Examiner—Robin V. Taylor

[57] **CLAIM**

The ornamental design for a reaper machine, as shown and described.

DESCRIPTION

FIG. 1 is a top left side perspective view of a reaper machine in accordance with our new design;
FIG. 2 is a left elevational view;
FIG. 3 is a right elevational view;
FIG. 4 is a front view;
FIG. 5 is a back view;
FIG. 6 is a bottom view; and,
FIG. 7 is a top view.

1 Claim, 3 Drawing Sheets





FIG. 1






FIG. 2

FIG. 3

