# **United States Patent** [19] Salisbury

#### [54] CABINET DOOR RULER

- [76] Inventor: **Dennis Salisbury**, 4110 Water Oak, Texarkana, Ark. 71854
- [\*\*] Term: 14 Years
- [21] Appl. No.: **29/109,455**
- [22] Filed: Aug. 16, 1999
- [51] LOC (7) Cl. ..... 10-04

FIG. 6 is an enlarged view of a portion of the top surface of the ornamental cabinet door ruler of the present invention, showing the portion of FIG. 1 designated as numbered segment 6;

**Date of Patent: \*\* Jul. 11, 2000** 

US00D427920S

Patent Number:

[11]

[45]

Des. 427,920

FIG. 7 is an enlarged view of a portion of the top surface of the ornamental cabinet door ruler of the present invention, showing the portion of FIG. 1 designated as numbered segment 7;

FIG. 8 is an enlarged view of a portion of the top surface of the ornamental cabinet door ruler of the present invention, showing the portion of FIG. 1 designated as numbered segment 8;

[52]	U.S. Cl	D10/71
[58]	Field of Search .	D10/71; 33/483–494

#### [56] References Cited

#### U.S. PATENT DOCUMENTS

2,799,938 7/1957 Anderson ...... D10/71 X

#### OTHER PUBLICATIONS

9 pages, color photocopies of front and back of early version of ruler made by inventor.

Primary Examiner—Antoine Duval Davis Attorney, Agent, or Firm—Mark Rogers; Gary N. Speed

#### [57] CLAIM

The ornamental design for a cabinet door ruler, as shown and described.

#### DESCRIPTION

FIG. 1 is a reduced, top view of the ornamental cabinet door ruler of the present invention, reduced in size to show the entire length; FIG. 2 is an enlarged view of a portion of the top surface of the ornamental cabinet door ruler of the present invention, showing the portion of FIG. 1 designated as numbered segment 2; FIG. 3 is an enlarged view of a portion of the top surface of the ornamental cabinet door ruler of the present invention, showing the portion of FIG. 1 designated as numbered segment 3; FIG. 4 is an enlarged view of a portion of the top surface of the ornamental cabinet door ruler of the present invention, showing the portion of FIG. 1 designated as numbered segment 4; FIG. 5 is an enlarged view of a portion of the top surface of the ornamental cabinet door ruler of the present invention, showing the portion of FIG. 1 designated as numbered segment 5;

FIG. 9 is a reduced, bottom view of the ornamental cabinet door ruler of the present invention, reduced in size to show the entire length;

FIG. 10 is an enlarged view of a portion of the bottom surface of the ornamental cabinet door ruler of the present invention, showing the portion of FIG. 9 designated as numbered segment 10;

FIG. 11 is an enlarged view of a portion of the bottom surface of the ornamental cabinet door ruler of the present invention, showing the portion of FIG. 9 designated as numbered segment 11;

FIG. 12 is an enlarged view of a portion of the bottom surface of the ornamental cabinet door ruler of the present invention, showing the portion of FIG. 9 designated as numbered segment 12;

FIG. 13 is an enlarged view of a portion of the bottom surface of the ornamental cabinet door ruler of the present invention, showing the portion of FIG. 9 designated as

numbered segment 13;

FIG. 14 is an enlarged view of a portion of the bottom surface of the ornamental cabinet door ruler of the present invention, showing the portion of FIG. 9 designated as numbered segment 14;

FIG. 15 is an enlarged view of a portion of the bottom surface of the ornamental cabinet door ruler of the present invention, showing the portion of FIG. 9 designated as numbered segment 15; and,

FIG. 16 is an enlarged view of a portion of the bottom surface of the ornamental cabinet door ruler of the present invention, showing the portion of FIG. 9 designated as numbered segment 16.

#### 1 Claim, 8 Drawing Sheets





# **U.S.** Patent













### U.S. Patent Jul. 11, 2000 Sheet 2 of 8 Des. 427,920



7<u>6</u>5 3/8 ΞŴ - M -----4 4 10 3 8 3 2 10 8 M M 7 5 M 2 4 4  $\underline{\mathbb{S}}$ **M**  $\infty$ 4 M ŝ **こ** ろ 7 6 7/16 5/16 3/16 3/8 1/2 1/6 2 4 3/4 <u>-</u>2 4 **の** 7/16/5/ 2 4 **N** 9/6  $\mathbf{O}$ M 4  $\leq$ -M  $\overline{5}$ C 9,6 16 3/4 1/16 15/16 13/16 <u>|</u>2 **M** 20 4 S) す 15 10 13 0 3 N \_\_\_\_0 M 5/16 3/16 2 3/6 16 4 4 4 <u>~</u> 0 Ň 4 3 M M M 5/6 Ś 4 с М <u>~</u> ્છ NON) S 4 -\_\_\_ \_\_\_\_ 22 σ M 13/16 | 1 1 / 16 | 5/2 2 Q  $\overrightarrow{4}$ 4 ٠ **N** 3/4 N -



# U.S. Patent Jul. 11, 2000 Sheet 3 of 8 Des. 427,920



# U.S. Patent Jul. 11, 2000 Sheet 4 of 8 Des. 427,920



#### U.S. Patent Jul. 11, 2000 Sheet 5 of 8 Des. 427,920





## U.S. Patent Jul. 11, 2000 Sheet 6 of 8 Des. 427,920



# U.S. Patent Jul. 11, 2000 Sheet 7 of 8 Des. 427,920



# U.S. Patent Jul. 11, 2000 Sheet 8 of 8 Des. 427,920



20-20-20-တ Q 2  $\overline{4}$ JO 310 3.4 Q  $\overline{2}$ M ¢۵ 9 200  $\overline{\mathbb{N}}$ <u>سَ\_</u>0 4 146 ശ  $\vec{\mathbf{z}}$ 10/10/10/10/10 1/6 |3/6 |5/6 8 0 0 Q M) 4 15 [3/6]-2/6]-2/8 M **m** 12 2 10 10 10 <sup>m</sup> 4  $\sim$  $\overline{24}$ M 70 N M 9 2  $\mathfrak{O}$ 2<u>0</u> M 34 7/6 4

